

PRODUCT-DETAILS

1458

5HP,1500/1800RPM,3PH,50/60HZ,3735M,BUFF

F



General Information

Global Commercial Alias	1458
Product ID	7B1458
ABB Type Designation	5HP,1500/1800RPM,3PH,50/60HZ,3735M,
Catalog Description	5HP,1500/1800RPM,3PH,50/60HZ,3735M,BUFF

Additional Information

ABB Type Designation	5HP,1500/1800RPM,3PH,50/60HZ,3735M,
Ambient Temperature	40 °C
Brake Present	No
Brand / Label	Baldor-Reliance
Catalog Number	1458
Certification Agency	CSA UR
Country of Origin	United States (US)
Customs Tariff Number	8460908020
Design	B
Dimension Diagram	G4LY0117
ETIM 7	EC001851 - Electric motor
Efficiency Level	Not Regulated / Exempt Undefined Efficiency
Enclosure Type	TENV
Frame Material	Steel
Frequency (f)	50 Hz

	60 Hz
Global Commercial Alias	1458
Gross Volume	0 in ³
Gross Weight	98.972 kg
Horsepower Rating	5.000 Hp
UL/CSA	
IDEA Granular Category Code (IGCC)	1325 >> General purpose motor AC
Invoice Description	5HP,1500/1800RPM,3PH,50/60HZ,3735M,BUFF
Made To Order	No
Minimum Order Quantity	1 piece
Motor Base Type	Rigid
NEMA Design Code	B
Number of Phases	3
Number of Poles	4
Number of Speeds	Single Speed
Order Multiple	1 piece
Product Name	Grinders/Buffers/Lathes/Belt Sander
Product Net Height	0 cm
Product Net Length	0 cm
Product Net Weight	98.972 kg
Product Net Width	0 cm
Product Type	Undefined
Quote Only	No
Rated Current (I _N)	13.6 A
Rated Speed	1,800 r/min 1,500 r/min
Selling Unit of Measure	piece
Service Factor	1.00
Service Factor Percentage	1.00 %
Shaft Diameter	1.250 in
Starting of Motor	Direct On Line
Stocked At (Warehouses)	China Alabama, United States Alaska, United States
UNSPSC	26101112
Voltage Rating	460 V 230 V 208 V

Categories

Motors and Generators → Grinders, Buffers, Lathes → Buffers

