

PRODUCT-DETAILS

2048-153D

1.5HP,3600RPM,3PH,60HZ,3516M,3516M,TEFC



General Information

Global Commercial Alias	2048-153D
Product ID	7B2048-153D
ABB Type Designation	1.5HP,3600RPM,3PH,60HZ,3516M,3516M,
Catalog Description	1.5HP,3600RPM,3PH,60HZ,3516M,3516M,TEFC

Additional Information

ABB Type Designation	1.5HP,3600RPM,3PH,60HZ,3516M,3516M,
Ambient Temperature	40 °C
Brake Present	No
Brand / Label	Baldor-Reliance
Catalog Number	2048-153D
Certification Agency	UR
Country of Origin	United States (US)
Customs Tariff Number	8460908020
Design	B
Dimension Diagram	B2LY0003
ETIM 7	EC001851 - Electric motor
Efficiency Level	Not Regulated / Exempt Undefined Efficiency

Electrical Data

Current	Freq	Power	Speed	Voltage
5 A	60 Hz	1.5 Hp	3450 r/min	208 V
4.6 A	60 Hz	1.5 Hp	3450 r/min	230 V
2.3 A	60 Hz	1.5 Hp	3450 r/min	460 V

Enclosure Type	TEFC
Frame Material	Steel
Frequency (f)	60 Hz
Global Commercial Alias	2048-153D
Gross Volume	0 in ³
Gross Weight	34.504 kg
Horsepower Rating UL/CSA	1.500 Hp
IDEA Granular Category Code (IGCC)	1325 >> General purpose motor AC
Invoice Description	1.5HP,3600RPM,3PH,60HZ,3516M,3516M,TEFC
Made To Order	No
Minimum Order Quantity	1 piece
Motor Base Type	Rigid
Motor Frame Size	143
NEMA Design Code	B
Number of Phases	3
Number of Poles	2
Number of Speeds	Single Speed
Order Multiple	1 piece
Power Factor	76 %
Product Name	Grinders/Buffers/Lathes/Belt Sander
Product Net Height	0 cm
Product Net Length	0 cm
Product Net Weight	34.504 kg
Product Net Width	0 cm
Product Type	Undefined
Quote Only	No
Rated Current (I _n)	5 ... 4.6 A 2.3 A
Rated Speed	3,450 r/min
Selling Unit of Measure	piece
Service Factor	1.15
Service Factor Percentage	1.15 %
Standards	NEMA
Starting of Motor	Direct On Line
Stocked At (Warehouses)	China Alabama, United States Alaska, United States
UNSPSC	26101112
Voltage Rating	208 V 230 V 460 V

Categories

Motors and Generators → Grinders, Buffers, Lathes → Belt Sanders

