

PRODUCT-DETAILS

380WCT

.33/.17HP,3450/1725RPM,1PH,60HZ,3528L



General Information

Global Commercial Alias	380WCT
Product ID	7B380WCT
ABB Type Designation	.33/.17HP,3450/1725RPM,1PH,60HZ,352
Catalog Description	.33/.17HP,3450/1725RPM,1PH,60HZ,3528L

Additional Information

ABB Type Designation	.33/.17HP,3450/1725RPM,1PH,60HZ,352
Ambient Temperature	40 °C
Brake Present	No
Brand / Label	Baldor-Reliance
Catalog Number	380WCT
Certification Agency	CSA UR
Country of Origin	United States (US)
Customs Tariff Number	8460908020
Dimension Diagram	L5LY0243
ETIM 7	EC001851 - Electric motor
Efficiency Level	Not Regulated / Exempt
Electrical Data	

Current	Freq	Power	Speed	Voltage
3.3 A	60 Hz	.33 Hp	3450 r/min	115 V
2.1 A	60 Hz	.17 Hp	1725 r/min	115 V

Enclosure Type	TENV
Frame Material	Steel
Frequency (f)	60 Hz
Global Commercial Alias	380WCT
Gross Volume	3809.38 in ³
Gross Weight	21.338 kg
Horsepower Rating	0.330 Hp
UL/CSA	0.170 Hp
IDEA Granular Category Code (IGCC)	1323 >> Multispeed motor AC
Invoice Description	.33/.17HP,3450/1725RPM,1PH,60HZ,3528L
Made To Order	No
Minimum Order Quantity	1 piece
Motor Base Type	Rigid
Number of Phases	1
Number of Poles	4 2
Number of Speeds	Two Speed
Order Multiple	1 piece
Product Name	Grinders/Buffers/Lathes/Belt Sander
Product Net Height	33.655 cm
Product Net Length	58.42 cm
Product Net Weight	21.338 kg
Product Net Width	31.75 cm
Product Type	Undefined
Quote Only	No
Rated Current (I _n)	3.3 A 2.1 A
Rated Speed	1,725 r/min 3,450 r/min
Selling Unit of Measure	piece
Service Factor	1.00
Service Factor Percentage	1.00 %
Shaft Diameter	0.376 in
Starting of Motor	Direct On Line
Stocked At (Warehouses)	China Alabama, United States Alaska, United States
UNSPSC	26101110
Voltage Rating	115 V

Categories

Motors and Generators → Grinders, Buffers, Lathes → Grinders

