

PRODUCT-DETAILS

1065UC-84

1065UC-84 Switch



General Information

Extended Product Type	1065UC-84
Product ID	2TKA00000413
EAN	6438199001241
Catalog Description	1065UC-84 Switch
Long Description	Switch with screwless terminals. The terminals are for max 2 rigid wires. Including switch insert and rocker.

Technical

Product Name	Switch
Rated Voltage (U_r)	250 V
Rated Current (I_n)	16 A
Maximum Switching Current	Fluorescent Lamps 16
Number of Rocker Switches	2
Wiring Configuration	Series switch
Actuator Type	Rocker/button
Connection Type	Plug Clamp
Lamp Type	Not included
Mounting Type	Flush mounted (plaster)
Type of Fastening	Screw
Surface Finishing	Untreated Glossy
Material	Plastic

Label Space Provided	No
Illumination	Non-illuminated
RAL Number	RAL 9016 - Traffic White
Color	White
Number of Batteries	0

Environmental

Degree of Protection	IP21
SCIP	f69ac24c-fe44-47c8-b01f-1c977f5f47ea Finland (FI)

Dimensions

Product Net Width	70 mm
Product Net Height	40 mm
Product Net Depth / Length	70 mm
Product Net Weight	0.076 kg
Built-In Depth (t ₂)	18 mm

Container Information

Package Level 1 Units	bag 1 piece
Package Level 1 Width	0.075 m
Package Level 1 Height	0.075 m
Package Level 1 Depth / Length	0.051 m
Package Level 1 Gross Weight	0.081 kg
Package Level 1 EAN	6438199001241
Package Level 2 Units	box 10 piece
Package Level 2 Width	0.15 m
Package Level 2 Height	0.075 m
Package Level 2 Depth / Length	0.255 m
Package Level 2 Gross Weight	0.9 kg
Package Level 3 Units	pallet (lift) 1800 piece
Package Level 3 Width	1.2 m
Package Level 3 Height	1.1 m
Package Level 3 Depth / Length	0.8 m
Package Level 3 Gross Weight	171.54 kg

Ordering

Minimum Order Quantity	1 piece
Customs Tariff Number	85365080
E-Number (Finland)	2106052
E-Number (Sweden)	1816551
Country of Origin	Finland (FI)
Selling Unit of Measure	piece

Certificates and Declarations (Document Number)

Declaration of Conformity - CE	9AKK10103A2377
Instructions and Manuals	9AKK10103A3029
RoHS Information	9AKK106713A4634

Popular Downloads

Data Sheet, Technical Information	9AKK10103A3029
Instructions and Manuals	9AKK10103A3029

Classifications

ETIM 6	EC001590 - Switch
ETIM 7	EC001590 - Switch
ETIM 8	EC001590 - Installation switch
WEEE Category	5. Small Equipment (No External Dimension More Than 50 cm)
WEEE B2C / B2B	Business To Consumer
CN8	85365080

Categories

Low Voltage Products and Systems → Switch Assortments → Flush Mounted VDE Range - ABB Nordics → Design Impressivo → CoverPlates (partly incl. Insert) → Mechanical Switch / Push Button

Low Voltage Products and Systems → Switch Assortments → Light / LoadControl → Mechanical Switch / Push Button → Mechanical Switch / Push Button - Flush Mounted → Mechanical Switch / Push Button

