

PRODUCT-DETAILS

1062SW

1062SW Switch



General Information

Extended Product Type	1062SW
Product ID	2TKA000138G1
EAN	6418677334535
Catalog Description	1062SW Switch
Long Description	Surface mounting switch with screwless terminals. The terminals are for max 2 rigid wires. X-terminals are for extending the wires. Delivered without a lamp.

Technical

Product Name	Switch
Function	Function lighting: Control and orientation
Rated Voltage (U_r)	250 V
Rated Current (I_n)	16 A
Maximum Switching Current	Fluorescent Lamps 16
Number of Rocker Switches	1
Wiring Configuration	2-pole switch
Actuator Type	Rocker/button
Connection Type	Plug Clamp
Lamp Type	Not included
Mounting Type	Surface mounted (plaster)
Type of Fastening	Screw
Surface Finishing	Untreated Matt

Material	Plastic
Label Space Provided	No
Illumination	Illuminated
RAL Number	RAL 9010 - Pure White
Color	White
Number of Batteries	0

Environmental

Degree of Protection	IP44
----------------------	------

Dimensions

Product Net Width	68 mm
Product Net Height	43 mm
Product Net Depth / Length	80 mm
Product Net Weight	0.098 kg

Container Information

Package Level 1 Units	bag 1 piece
Package Level 1 Width	0.09 m
Package Level 1 Height	0.095 m
Package Level 1 Depth / Length	0.061 m
Package Level 1 Gross Weight	0.112 kg
Package Level 1 EAN	6418677334535
Package Level 2 Units	box 10 piece
Package Level 2 Width	0.18 m
Package Level 2 Height	0.095 m
Package Level 2 Depth / Length	0.305 m
Package Level 2 Gross Weight	1.122 kg
Package Level 3 Units	pallet (lift) 1200 piece
Package Level 3 Width	1.2 m
Package Level 3 Height	1.1 m
Package Level 3 Depth / Length	0.8 m
Package Level 3 Gross Weight	142.2 kg

Ordering

Minimum Order Quantity	1 piece
Customs Tariff Number	85365080
E-Number (Finland)	2006519
E-Number (Sweden)	1818376
Country of Origin	Finland (FI)
Selling Unit of Measure	piece

Certificates and Declarations (Document Number)

Declaration of	9AKK10103A2377
----------------	----------------

Conformity - CE	
Instructions and Manuals	9AKK10103A3029
RoHS Information	9AKK106713A4634

Popular Downloads

Data Sheet, Technical Information	9AKK10103A3029
Instructions and Manuals	9AKK10103A3029

Classifications

ETIM 6	EC001590 - Switch
ETIM 7	EC001590 - Switch
ETIM 8	EC001590 - Installation switch
WEEE Category	5. Small Equipment (No External Dimension More Than 50 cm)
WEEE B2C / B2B	Business To Consumer
CN8	85365080

Categories

Low Voltage Products and Systems → Switch Assortments → Light / LoadControl → Mechanical Switch / Push Button → Mechanical Switch / Push Button - Flush Mounted → Mechanical Switch / Push Button

Low Voltage Products and Systems → Switch Assortments → Surface Mounted VDE Range - ABB Nordics → Design Jussi IP44/IP55 → Switches, Push Switches and Signal Lights → Mechanical Switch / Push Button

