

PRODUCT-DETAILS

1065U2

1065U2 Switch



General Information

Extended Product Type	1065U2
Product ID	2TKA000169G1
EAN	6418677301896
Catalog Description	1065U2 Switch
Long Description	Switch with screwless terminals and rocker with clip-on fastening. The terminals are for max 2 rigid wires. X-terminals are for extending the wires.

Technical

Product Name	Switch
Rated Voltage (U_r)	250 V
Rated Current (I_n)	16 A
Maximum Switching Current	Fluorescent Lamps 16
Number of Rocker Switches	2
Wiring Configuration	Series switch
Actuator Type	Rocker/button
Connection Type	Plug Clamp
Lamp Type	Not included
Mounting Type	Flush mounted (plaster)
Type of Fastening	Mounting with Claw Mounting with Screw
Surface Finishing	Untreated Matt

Material	Plastic
Label Space Provided	No
Illumination	Non-illuminated
RAL Number	RAL 9010 - Pure White
Color	White
Number of Batteries	0

Environmental

Degree of Protection	IP21
SCIP	f69ac24c-fe44-47c8-b01f-1c977f5f47ea Finland (FI)

Dimensions

Product Net Width	85 mm
Product Net Height	35 mm
Product Net Depth / Length	85 mm
Product Net Weight	0.09 kg
Built-In Depth (t ₂)	18 mm

Container Information

Package Level 1 Units	box 10 piece
Package Level 1 Width	0.18 m
Package Level 1 Height	0.095 m
Package Level 1 Depth / Length	0.305 m
Package Level 1 Gross Weight	1.042 kg
Package Level 1 EAN	6418677301896
Package Level 2 Units	crate 100 piece
Package Level 2 Width	0.32 m
Package Level 2 Height	0.395 m
Package Level 2 Depth / Length	0.48 m
Package Level 2 Gross Weight	11.05 kg
Package Level 3 Units	pallet (lift) 1200 piece
Package Level 3 Width	1.2 m
Package Level 3 Height	1.1 m
Package Level 3 Depth / Length	0.8 m
Package Level 3 Gross Weight	132.6 kg

Ordering

Minimum Order Quantity	10 piece
Customs Tariff Number	85365080
E-Number (Sweden)	1815016
Country of Origin	Finland (FI)
Selling Unit of Measure	piece

Certificates and Declarations (Document Number)

Declaration of Conformity - CE	9AKK10103A2377
Instructions and Manuals	9AKK10103A3029
RoHS Information	9AKK106713A4634

Popular Downloads

Data Sheet, Technical Information	9AKK10103A3029
Instructions and Manuals	9AKK10103A3029

Classifications

ETIM 6	EC001590 - Switch
ETIM 7	EC001590 - Switch
ETIM 8	EC001590 - Installation switch
WEEE Category	5. Small Equipment (No External Dimension More Than 50 cm)
WEEE B2C / B2B	Business To Consumer
CN8	85365080

Categories

Low Voltage Products and Systems → Switch Assortments → Flush Mounted VDE Range - ABB Nordics → Design Jussi → CoverPlates (partly incl. Insert) → Mechanical Switch / Push Button

Low Voltage Products and Systems → Switch Assortments → Light / LoadControl → Mechanical Switch / Push Button → Mechanical Switch / Push Button - Flush Mounted → Mechanical Switch / Push Button

