

PRODUCT-DETAILS

# 1066UK2

## 1066UK2 Switch



### General Information

|                       |                                                                                                                           |
|-----------------------|---------------------------------------------------------------------------------------------------------------------------|
| Extended Product Type | 1066UK2                                                                                                                   |
| Product ID            | 2TKA000198G1                                                                                                              |
| EAN                   | 6418677302008                                                                                                             |
| Catalog Description   | 1066UK2 Switch                                                                                                            |
| Long Description      | Switch with screwless terminals and rocker with clip-on fastening. The terminals are for max 2 rigid wires. Lamp included |

### Technical

|                           |                                            |
|---------------------------|--------------------------------------------|
| Product Name              | Switch                                     |
| Function                  | Function lighting: Control and orientation |
| Rated Voltage ( $U_r$ )   | 250 V                                      |
| Rated Current ( $I_n$ )   | 16 A                                       |
| Maximum Switching Current | Fluorescent Lamps 16                       |
| Number of Rocker Switches | 1                                          |
| Wiring Configuration      | Two-way switch                             |
| Actuator Type             | Rocker/button                              |
| Connection Type           | Plug Clamp                                 |
| Lamp Type                 | Glow lamp                                  |
| Mounting Type             | Flush mounted (plaster)                    |
| Type of Fastening         | Mounting with Claw<br>Mounting with Screw  |
| Surface Finishing         | Untreated                                  |

|                      |                       |
|----------------------|-----------------------|
|                      | Matt                  |
| Material             | Plastic               |
| Label Space Provided | No                    |
| Illumination         | Illuminated           |
| RAL Number           | RAL 9010 - Pure White |
| Color                | White                 |
| Number of Batteries  | 0                     |

## Environmental

|                      |      |
|----------------------|------|
| Degree of Protection | IP21 |
|----------------------|------|

## Dimensions

|                                  |          |
|----------------------------------|----------|
| Product Net Width                | 85 mm    |
| Product Net Height               | 35 mm    |
| Product Net Depth / Length       | 85 mm    |
| Product Net Weight               | 0.091 kg |
| Built-In Depth (t <sub>2</sub> ) | 18 mm    |

## Container Information

|                                |                          |
|--------------------------------|--------------------------|
| Package Level 1 Units          | box 10 piece             |
| Package Level 1 Width          | 0.18 m                   |
| Package Level 1 Height         | 0.095 m                  |
| Package Level 1 Depth / Length | 0.305 m                  |
| Package Level 1 Gross Weight   | 1.052 kg                 |
| Package Level 1 EAN            | 6418677302008            |
| Package Level 2 Units          | crate 100 piece          |
| Package Level 2 Width          | 0.32 m                   |
| Package Level 2 Height         | 0.395 m                  |
| Package Level 2 Depth / Length | 0.48 m                   |
| Package Level 2 Gross Weight   | 11.15 kg                 |
| Package Level 3 Units          | pallet (lift) 1200 piece |
| Package Level 3 Width          | 1.2 m                    |
| Package Level 3 Height         | 1.1 m                    |
| Package Level 3 Depth / Length | 0.8 m                    |
| Package Level 3 Gross Weight   | 133.8 kg                 |

## Ordering

|                         |              |
|-------------------------|--------------|
| Minimum Order Quantity  | 10 piece     |
| Customs Tariff Number   | 85365080     |
| E-Number (Sweden)       | 1815064      |
| Country of Origin       | Finland (FI) |
| Selling Unit of Measure | piece        |

## Certificates and Declarations (Document Number)

|                                |                 |
|--------------------------------|-----------------|
| Declaration of Conformity - CE | 9AKK10103A2377  |
| Instructions and Manuals       | 9AKK10103A3029  |
| RoHS Information               | 9AKK106713A4634 |

## Popular Downloads

|                                   |                |
|-----------------------------------|----------------|
| Data Sheet, Technical Information | 9AKK10103A3029 |
| Instructions and Manuals          | 9AKK10103A3029 |

## Classifications

|                |                                                            |
|----------------|------------------------------------------------------------|
| ETIM 6         | EC001590 - Switch                                          |
| ETIM 7         | EC001590 - Switch                                          |
| ETIM 8         | EC001590 - Installation switch                             |
| WEEE Category  | 5. Small Equipment (No External Dimension More Than 50 cm) |
| WEEE B2C / B2B | Business To Consumer                                       |
| CN8            | 85365080                                                   |

## Categories

Low Voltage Products and Systems → Switch Assortments → Flush Mounted VDE Range - ABB Nordics → Design Jussi → CoverPlates (partly incl. Insert) → Mechanical Switch / Push Button

Low Voltage Products and Systems → Switch Assortments → Light / LoadControl → Mechanical Switch / Push Button → Mechanical Switch / Push Button - Flush Mounted → Mechanical Switch / Push Button

