

PRODUCT-DETAILS

3HAC12261-1

Gear Z4 /4



General Information

Product ID	3HAC12261-1
ABB Type Designation	-
Catalog Description	Gear Z4 /4

Technical

Technical Information	Axis 3-4
-----------------------	----------

Ordering

Country of Origin	Italy (IT)
Invoice Description	Gear Z4 /4
Minimum Order Quantity	1 piece
Selling Unit of Measure	piece
Order Multiple	1 piece
Quote Only	No
Made To Order	No
Stocked At (Warehouses)	Menden, Germany

Classifications

Customs Tariff Number	84839089
Part Type	New
WEEE Category	Product Not in WEEE Scope

Dimensions

Product Net Weight	15.54 kg
Gross Weight	15.54 kg
Product Net Length	320 mm
Product Net Height	70 mm
Product Net Width	320 mm

Additional Information

Product Name	Gear Z4 /4
ABB Type Designation	-

Where Used (as a spare part for "Products")

Identifier	Description	Quantity	Unit Of Measure
IRB 6600_6650 Type A M2004 Foundry Prime	No Description Available	1	piece
IRB 6600_6650 Type A M2004 Foundry Prime	No Description Available	1	piece
IRB 6600_6650 Type A M2004 Foundry Prime	No Description Available	1	piece
IRB 6600_6650 Type A M2004 Foundry Prime	No Description Available	1	piece
IRB 6600_6650 Type A M2004 Foundry Prime	No Description Available	1	piece
IRB 6600_6650 Type B M2004 Foundry Prime	No Description Available	1	piece
IRB 6600_6650 Type B M2004 Foundry Prime	No Description Available	1	piece
IRB 6600_6650 Type B M2004 Foundry Prime	No Description Available	1	piece
IRB 6600_6650 Type B M2004 Foundry Prime	No Description Available	1	piece
IRB 6600_6650 Type B M2004 Foundry Prime	No Description Available	1	piece
IRB 6600_6650 Type B M2004	No Description Available	1	piece
IRB 6600_6650 Type B M2004	No Description Available	1	piece
IRB 6600_6650 Type B M2004	No Description Available	1	piece
IRB 6600_6650 Type B M2004	No Description Available	1	piece
IRB 6600_6650 Type B M2004	No Description Available	1	piece
IRB 6600_6650 Type A M2004	No Description Available	1	piece
IRB 6600_6650 Type A M2004	No Description Available	1	piece
IRB 6600_6650 Type A M2004	No Description Available	1	piece
IRB 6600_6650 Type A M2004	No Description Available	1	piece
IRB 6600_6650 Type A M2004	No Description Available	1	piece

Product specific part data

Product	Category	Robot Part Location	Robotics Part Category
IRB 6600_6650 Type A M2004 Foundry Prime	IRB 6600-175/2,55	Upper Arm	Gearbox
IRB 6600_6650 Type A M2004 Foundry Prime	IRB 6600-255/2,55	Upper Arm	Gearbox
IRB 6600_6650 Type A M2004 Foundry Prime	IRB 6650-200/2,75	Upper Arm	Gearbox
IRB 6600_6650 Type A M2004 Foundry Prime	IRB 6600-175/2,8	Upper Arm	Gearbox

Product	Category	Robot Part Location	Robotics Part Category
IRB 6600_6650 Type A M2004 Foundry Prime	IRB 6650-125/3,2	Upper Arm	Gearbox
IRB 6600_6650 Type B M2004 Foundry Prime	IRB 6600-175/2,55	Upper Arm	Gearbox
IRB 6600_6650 Type B M2004 Foundry Prime	IRB 6600-255/2,55	Upper Arm	Gearbox
IRB 6600_6650 Type B M2004 Foundry Prime	IRB 6650-200/2,75	Upper Arm	Gearbox
IRB 6600_6650 Type B M2004 Foundry Prime	IRB 6600-175/2,8	Upper Arm	Gearbox
IRB 6600_6650 Type B M2004 Foundry Prime	IRB 6650-125/3,2	Upper Arm	Gearbox
IRB 6600_6650 Type B M2004	IRB 6600-175/2,55	Upper Arm	Gearbox
IRB 6600_6650 Type B M2004	IRB 6600-255/2,55	Upper Arm	Gearbox
IRB 6600_6650 Type B M2004	IRB 6650-200/2,75	Upper Arm	Gearbox
IRB 6600_6650 Type B M2004	IRB 6600-175/2,8	Upper Arm	Gearbox
IRB 6600_6650 Type B M2004	IRB 6650-125/3,2	Upper Arm	Gearbox
IRB 6600_6650 Type A M2004	IRB 6600-175/2,55	Upper Arm	Gearbox
IRB 6600_6650 Type A M2004	IRB 6600-255/2,55	Upper Arm	Gearbox
IRB 6600_6650 Type A M2004	IRB 6650-200/2,75	Upper Arm	Gearbox
IRB 6600_6650 Type A M2004	IRB 6600-175/2,8	Upper Arm	Gearbox
IRB 6600_6650 Type A M2004	IRB 6650-125/3,2	Upper Arm	Gearbox

Categories

- Robotics → Robots → Articulated Robots → IRB 6600 → IRB 6600-175/2,55
- Robotics → Robots → Articulated Robots → IRB 6600 → IRB 6600-175/2,8
- Robotics → Robots → Articulated Robots → IRB 6600 → IRB 6600-255/2,55
- Robotics → Robots → Articulated Robots → IRB 6600 → IRB 6650-125/3,2
- Robotics → Robots → Articulated Robots → IRB 6600 → IRB 6650-200/2,75

