

PRODUCT-DETAILS

NotAvailable

Rectangular; IP44-IP55-IP65 junction boxes in thermoplastic material



General Information

Extended Product Type	NotAvailable
Product ID	1SL0922A00
EAN	8000126039429
Catalog Description	Rectangular; IP44-IP55-IP65 junction boxes in thermoplastic material
Long Description	IP55-CABLE GL-LOW LID-153X110X66-1/4TS - GWT 960°C

Technical

Product Name	Watertight Boxes
Suitable For	IP44-IP55-IP65 junction boxes in thermoplastic material
Rated Insulation Voltage (U _i)	1500 V
Number of Conduit Inlets	8
Cover Mounting Type	Screw
Mounting Type	Wall-mounting
Screw Type	Plastic
Shape	Rectangular
Surface Finishing	Untreated
Enclosure Material	polycarbonate
Material	Plastic
Cover Style	Blind Cover
RAL Number	RAL 7035 - Light Grey
Color	grey

Environmental

Degree of Protection	IP55
Protection Class	Isolated
Environmental Information	1SLC001001D0905

Dimensions

Product Net Width	153 mm
Product Net Height	110 mm
Product Net Depth / Length	66 mm
Product Net Weight	0.291 kg
Product Net Length	153 mm

Container Information

Package Level 1 Units	1 piece
Package Level 1 Width	400 mm
Package Level 1 Height	265 mm
Package Level 1 Depth / Length	590 mm
Package Level 1 Gross Weight	10.25 kg
Package Level 1 EAN	8000126039443
Package Level 2 Units	32 piece
Package Level 2 EAN	8000126039443

Ordering

Minimum Order Quantity	1 piece
Customs Tariff Number	85371098
Country of Origin	Bulgaria (BG)
Selling Unit of Measure	piece

Certificates and Declarations (Document Number)

Declaration of Conformity - CE	9AKK108466A1824
Environmental Information	1SLC001001D0905
Instructions and Manuals	No document needed
RoHS Information	1SLT00014R4E0

Popular Downloads

Data Sheet, Technical Information	1SLC001001D0905
Instructions and Manuals	No document needed

Classifications

ETIM 6	EC002600 - Box/housing for surface mounting on the wall/ceiling
ETIM 7	EC002600 - Box/housing for surface mounting on the wall/ceiling
ETIM 8	EC002600 - Box/housing for surface mounting on the wall/ceiling
WEEE Category	Product Not in WEEE Scope
Obj C	U