

PRODUCT-DETAILS

2CSE1010SM

Reversing switch, 16AX - 250V~



General Information

Product ID	2CSE1010SM
EAN	8012542633204
Catalog Description	Reversing switch, 16AX - 250V~
Long Description	Elos, „Reversing switch, 16AX - 250V~ „2CSE1002SM

Technical

Product Name	Reversing switch, 16AX - 250V~
Rated Voltage (U_r)	250 V
Rated Current (I_n)	16 A
Maximum Switching Current	Fluorescent Lamps 16
Number of Rocker Switches	1
Wiring Configuration	Intermediate switch
Actuator Type	Rocker/button
Connection Type	Screw
Lamp Type	Not included
Mounting Type	Flush mounted (plaster)
Type of Fastening	Screw
Surface Finishing	Untreated Matt
Material	Plastic
Label Space Provided	No

Illumination	Non-illuminated
Color	Black

Environmental

Degree of Protection	IP55
----------------------	------

Dimensions

Product Net Width	25 mm
Product Net Height	45 mm
Product Net Depth / Length	45 mm
Product Net Weight	0.004 kg
Built-In Depth (t ₂)	38 mm

Container Information

Package Level 1 Units	box 48 piece
Package Level 1 Width	130 mm
Package Level 1 Height	170 mm
Package Level 1 Depth / Length	0.11 m
Package Level 1 Gross Weight	0.95 kg
Package Level 1 EAN	8012542633204

Ordering

Minimum Order Quantity	48 piece
Customs Tariff Number	85389099
Country of Origin	Italy (IT)
Selling Unit of Measure	piece

Certificates and Declarations (Document Number)

Declaration of Conformity - CE	No declaration needed
Instructions and Manuals	2CSC600290D0201

Popular Downloads

Data Sheet, Technical Information	2CSC600290D0201
Instructions and Manuals	2CSC600290D0201

Classifications

ETIM 6	EC001590 - Switch
ETIM 7	EC001590 - Switch
ETIM 8	EC001590 - Installation switch
WEEE Category	5. Small Equipment (No External Dimension More Than 50 cm)
WEEE B2C / B2B	Business To Consumer

Categories

Low Voltage Products and Systems → Switch Assortments → Flush Mounted Modular Range - ABB Sace → Design Elos → Flush Mounted Inserts with CoverPlate → Mechanical Switch / Push Button

Low Voltage Products and Systems → Switch Assortments → Light / LoadControl → Mechanical Switch / Push Button → Mechanical Switch / Push Button - Flush Mounted → Mechanical Switch / Push Button

