

## PRODUCT-DETAILS

# 2CSY1030MS

2CSY1030MS Single-pole push switch, 16A - 250V~, normally open, with STAIRLIGHT symbol



## General Information

|                       |                                                                                        |
|-----------------------|----------------------------------------------------------------------------------------|
| Extended Product Type | 2CSY1030MS                                                                             |
| Product ID            | 2CSY1030MS                                                                             |
| EAN                   | 8012542175759                                                                          |
| Catalog Description   | 2CSY1030MS Single-pole push switch, 16A - 250V~, normally open, with STAIRLIGHT symbol |
| Long Description      | Single-pole push switch, 16A - 250V~, normally open, with STAIRLIGHT symbol            |

## Technical

|                            |                                                                             |
|----------------------------|-----------------------------------------------------------------------------|
| Product Name               | Single-pole push switch, 16A - 250V~, normally open, with STAIRLIGHT symbol |
| Rated Voltage ( $U_r$ )    | 250 V                                                                       |
| Rated Current ( $I_n$ )    | 16 A                                                                        |
| Contacts Configuration     | 1 NO, 0 NC                                                                  |
| Number of Poles            | 1                                                                           |
| Number of Contacts CO      | 0                                                                           |
| Number of Contacts NC      | 1                                                                           |
| Number of Contacts NO      | 1                                                                           |
| Number of Main Contacts NO | 1                                                                           |
| Number of Rocker Switches  | 1                                                                           |
| Actuator Type              | Push button                                                                 |
| Connection Type            | Screw                                                                       |
| Mounting Type              | Flush mounted (plaster)                                                     |

|                   |                          |
|-------------------|--------------------------|
| Type of Fastening | Screw                    |
| Surface Finishing | Lacquered<br>Matt        |
| Material          | Thermoplastic<br>Plastic |
| Illumination      | Illuminated              |
| Legend            | Symbol "light"           |
| Model Number      | Single push button       |
| Color             | Black                    |

## Environmental

|                      |      |
|----------------------|------|
| Degree of Protection | IP20 |
|----------------------|------|

## Dimensions

|                                        |          |
|----------------------------------------|----------|
| Width in Number of<br>Modular Spacings | 1        |
| Product Net Width                      | 22.1 mm  |
| Product Net Height                     | 46.1 mm  |
| Product Net Depth /<br>Length          | 34.9 mm  |
| Product Net Weight                     | 0.003 kg |
| Built-In Depth (t <sub>2</sub> )       | 48 mm    |

## Container Information

|                                   |               |
|-----------------------------------|---------------|
| Package Level 1 Units             | box 1 piece   |
| Package Level 1 Width             | 59 mm         |
| Package Level 1 Height            | 52 mm         |
| Package Level 1 Depth /<br>Length | 0.025 m       |
| Package Level 1 Gross<br>Weight   | 0.025 kg      |
| Package Level 1 EAN               | 8012542175759 |
| Package Level 2 Units             | 24 piece      |
| Package Level 2 Width             | 0.16 m        |
| Package Level 2 Height            | 0.067 m       |
| Package Level 2 Depth /<br>Length | 0.217 m       |
| Package Level 2 Gross<br>Weight   | 0.067 kg      |
| Package Level 2 EAN               | 8012542175766 |

## Ordering

|                         |            |
|-------------------------|------------|
| Minimum Order Quantity  | 1 piece    |
| Customs Tariff Number   | 85365080   |
| Country of Origin       | Italy (IT) |
| Selling Unit of Measure | piece      |

## Certificates and Declarations (Document Number)

|                                   |                       |
|-----------------------------------|-----------------------|
| Declaration of<br>Conformity - CE | No declaration needed |
| Instructions and<br>Manuals       | 2CSC600290D0201       |

| Popular Downloads                 |                 |
|-----------------------------------|-----------------|
| Data Sheet, Technical Information | 2CSC600290D0201 |
| Instructions and Manuals          | 2CSC600290D0201 |

| Classifications |                                                            |
|-----------------|------------------------------------------------------------|
| ETIM 6          | EC000029 - Push button                                     |
| ETIM 7          | EC000029 - Push-switch button                              |
| ETIM 8          | EC000029 - Push-switch button                              |
| WEEE Category   | 5. Small Equipment (No External Dimension More Than 50 cm) |
| WEEE B2C / B2B  | Business To Consumer                                       |
| CN8             | 85365080                                                   |

**Categories**

Low Voltage Products and Systems → Switch Assortments → Flush Mounted Modular Range - ABB Sace → Design Mylos → Flush Mounted Inserts with CoverPlate → Mechanical Switch / Push Button

Low Voltage Products and Systems → Switch Assortments → Light / LoadControl → Mechanical Switch / Push Button → Mechanical Switch / Push Button - Flush Mounted → Mechanical Switch / Push Button

