

PRODUCT-DETAILS

2CSY1161MS

2CSY1161MS USB Charger, 1A, 5VDC



General Information

Extended Product Type	2CSY1161MS
Product ID	2CSY1161MS
EAN	8012542353935
Catalog Description	2CSY1161MS USB Charger, 1A, 5VDC
Long Description	USB Charger, 1A, 5VDC

Technical

Product Name	USB Charger, 1A, 5VDC
Operational Voltage	5...5 V
Output Current Maximum (I_{out})	1 mA
Frequency (f)	50...60 Hz
Number of Outputs	1
Mounting Type	Flush mounted (plaster)
Model Number	Bus
RAL Number	RAL 9005 - Jet Black
Color	Black

Dimensions

Product Net Width	0.052 m
Product Net Height	59 m

Product Net Depth / Length	25 m
Product Net Weight	0.004 kg
Built-In Depth (t ₂)	35 mm

Container Information

Package Level 1 Units	1 piece
Package Level 1 Width	0.025 m
Package Level 1 Height	0.059 m
Package Level 1 Depth / Length	0.052 m
Package Level 1 Gross Weight	0.035 kg
Package Level 1 EAN	8012542353935
Package Level 2 Units	24 piece
Package Level 2 Width	0.16 m
Package Level 2 Height	0.067 m
Package Level 2 Depth / Length	0.217 m
Package Level 2 Gross Weight	0.85 kg
Package Level 2 EAN	8012542353942

Ordering

Minimum Order Quantity	1 piece
Customs Tariff Number	85389091
Country of Origin	Italy (IT)
Selling Unit of Measure	piece

Certificates and Declarations (Document Number)

Declaration of Conformity - CE	2CSC300011U5101
Instructions and Manuals	2CSC600290D0201

Popular Downloads

Data Sheet, Technical Information	2CSC600290D0201
Instructions and Manuals	2CSC600290D0201

Classifications

ETIM 6	EC002949 - USB power supply
ETIM 7	EC002949 - USB power supply
ETIM 8	EC002949 - USB power supply
WEEE Category	5. Small Equipment (No External Dimension More Than 50 cm)
WEEE B2C / B2B	Business To Consumer
CN8	85389091

Categories

Low Voltage Products and Systems → Switch Assortments → Flush Mounted Modular Range - ABB Sace → Design Mylos → Flush Mounted Inserts with CoverPlate → Socket Outlets with Advanced Functionality

Low Voltage Products and Systems → Switch Assortments → Socket Outlets → Socket Outlets with Advanced Functionality → Socket Outlets with Advanced Functionality - Flush Mounted → Socket Outlets with Advanced Functionality

