

PRODUCT-DETAILS

2CSY1303MC

2CSY1303MC LED lamp for emergency or stairwell lighting. Charge reserve up to 3h and recharge time 12h. Power supply 230V~ - 50Hz. Equipped with dedicated frame for installation on type 503 box



General Information

Extended Product Type	2CSY1303MC
Product ID	2CSY1303MC
EAN	8012542171652
Catalog Description	2CSY1303MC LED lamp for emergency or stairwell lighting. Charge reserve up to 3h and recharge time 12h. Power supply 230V~ - 50Hz. Equipped with dedicated frame for installation on type 503 box
Long Description	LED lamp for emergency or stairwell lighting. Charge reserve up to 3h and recharge time 12h. Power supply 230V~ - 50Hz. Equipped with dedicated frame for installation on type 503 box

Technical

Product Name	LED lamp for emergency or stairwell lighting. Charge reserve up to 3h and recharge time 12h. Power supply 230V~ - 50Hz. Equipped with dedicated frame for installation on type 503 box
Function	Escape route lighting
Rated Voltage (U _r)	230...230 V
Input Voltage Type	AC
Power Supply Type	Peripheral (Individual Battery)
Number of Poles	0
Number of Lamps	1
Number of Lighting Heads	1
Functional Testing Capability	Automatic Self Test

Wiring Configuration	Wiring system: Continuous circuit/emergency circuit Type of wiring: Ending
Ballast Type	Current Controlled
Lamp Type	LED not exchangeable
Light Distribution Type	Diffuser Lens Optic Panel
Mounting Type	Wall surface mounted
Type of Indicator	Only single-sided
Surface Finishing	Basic
Cover Material	Plastic, Transparent
Housing Material	Plastic
Material	Plastic
Illumination	Non-illuminated
Illuminance	50 lm Standby Mode 35 lm
Color	Transparent
Housing Color	White
Battery Chemical Composition	Nickel-Metal Hydride
Battery Type	Portable
Battery Weight	0.015 kg
Number of Batteries	1

Environmental

Ambient Temperature	IEC62722-2-1 5 ... 25 °C
Degree of Protection	IP20
Protection Class	Isolated

Dimensions

Width in Number of Modular Spacings	3
Product Net Width	66 mm
Product Net Height	45 mm
Product Net Depth / Length	0.12 m
Product Net Weight	0 kg
Product Net Length	46 mm
Built-In Depth (t ₂)	43 mm

Container Information

Package Level 1 Units	1 piece
Package Level 1 Width	0.075 m
Package Level 1 Height	0.12 m
Package Level 1 Depth / Length	0.075 m
Package Level 1 Gross Weight	0 kg
Package Level 1 EAN	8012542171652
Package Level 2 Units	1 piece
Package Level 2 Width	0.075 m
Package Level 2 Height	0.075 m
Package Level 2 Depth / Length	0.12 m
Package Level 2 Gross	0.075 kg

Weight

Package Level 2 EAN	8012542171652
---------------------	---------------

Ordering

Minimum Order Quantity	1 piece
Customs Tariff Number	85365080
Country of Origin	Italy (IT)
Selling Unit of Measure	piece

Certificates and Declarations (Document Number)

Declaration of Conformity - CE	2CSC300005U5101
Instructions and Manuals	2CSY600013D0901

Popular Downloads

Data Sheet, Technical Information	2CSY600013D0901
Instructions and Manuals	2CSY600013D0901

Classifications

ETIM 6	EC001957 - Emergency luminaire
ETIM 7	EC001957 - Emergency luminaire
ETIM 8	EC001957 - Emergency luminaire
WEEE Category	3. Lamps
WEEE B2C / B2B	Business To Consumer
CN8	85365080

Categories

Low Voltage Products and Systems → Switch Assortments → Flush Mounted Modular Range - ABB Sace → Design Mylos → Flush Mounted Inserts with CoverPlate → LED Light / Light Signal

Low Voltage Products and Systems → Switch Assortments → LED Light / Light Signals → LED Light / Light Signal → LED Light / Light Signal - Flush Mounted → LED Light / Light Signal

