

PRODUCT-DETAILS

2CSY1427MS

2CSY1427MS Universal badge switch, 3M



General Information

Extended Product Type	2CSY1427MS
Product ID	2CSY1427MS
EAN	8012542280651
Catalog Description	2CSY1427MS Universal badge switch, 3M
Long Description	Mylos, 2CSY1427MS ,Universal badge switch, 3M

Technical

Product Name	Universal badge switch, 3M
Rated Voltage (U _r)	230 V
Rated Current (I _n)	10 A
Frequency (f)	50...60 Hz
Minimum Switching Capacity	2300...2300 W
Load Type	Universal
Mounting Type	Flush mounted (plaster)
Type of Fastening	Clamp
Surface Finishing	Surface protection: Lacquered Surface finishing: Matt
Material	Plastic
Model Number	Relay
RAL Number	RAL 9005 - Jet Black
Color	Black

Dimensions

Product Net Width	0.098 m
Product Net Height	79 mm
Product Net Depth / Length	135 mm
Product Net Weight	0.012 kg
Built-In Depth (t ₂)	48 mm

Container Information

Package Level 1 Units	box 1 piece
Package Level 1 Width	135 mm
Package Level 1 Height	79 mm
Package Level 1 Depth / Length	0.098 m
Package Level 1 Gross Weight	0.12 kg
Package Level 1 EAN	8012542280651

Ordering

Minimum Order Quantity	1 piece
Customs Tariff Number	85389091
Country of Origin	Italy (IT)
Selling Unit of Measure	piece

Certificates and Declarations (Document Number)

Declaration of Conformity - CE	No declaration needed
Instructions and Manuals	2CSC600290D0201

Popular Downloads

Data Sheet, Technical Information	2CSC600290D0201
Instructions and Manuals	2CSC600290D0201

Classifications

ETIM 6	EC001588 - Electronic switch
ETIM 7	EC001588 - Electronic switch
ETIM 8	EC001588 - Electronic switch
WEEE Category	5. Small Equipment (No External Dimension More Than 50 cm)
WEEE B2C / B2B	Business To Consumer
CN8	85389091

Categories

Low Voltage Products and Systems → Switch Assortments → Flush Mounted Modular Range - ABB Sace → Design Mylos → Flush Mounted Inserts with CoverPlate → Hotel Functions

Low Voltage Products and Systems → Switch Assortments → Hotel Functions → Hotel Functions → Hotel Functions - Flush Mounted → Hotel Functions

