

PRODUCT-DETAILS

CP635-WEB

CP635-WEB Control Panel 7" with microbrowser for V2.3 webserver



General Information

Extended Product Type	CP635-WEB
Product ID	1SAP535200R0001
ABB Type Designation	CP635-WEB
EAN	4016779864916
Catalog Description	CP635-WEB Control Panel 7" with microbrowser for V2.3 webserver
Long Description	CP635-WEB Control Panel 7" TFT touch screen, 64 K colors, 800 x 480 pixel, microbrowser for V2.3 webserver

Additional Information

ABB Type Designation	CP635-WEB
Ambient Air Temperature	Operation 0 ... +50 °C Storage -20 ... +70 °C
CN8	85371091
Communication Interface	2x Ethernet 100 MBit 1x RS232/422/485 2x USB 2.0 Host 1x SD card slot 2x Expansion slot
Country of Origin	Italy (IT) Germany (DE)
Customs Tariff Number	85371091
Declaration of Conformity - C-Tick	1SAA960002-3301
Declaration of Conformity - KCC	1SAA960002-4801

Degree of Protection	acc. to IEC 60529 Front IP66 acc. to IEC 60529 Housing IP20
EAN	4016779864916
EPLAN Catalog Tree	Electrical engineering / General / General
Gross Weight	1.2 kg
Housing Material	Front side: Zamak Reverse side: Aluminium
Invoice Description	CP635-WEB Control Panel 7" with microbrowser for V2.3 webserver
Made To Order	No
Memory Size User Data	128 MB
Memory Size User Program	256 MB
Memory Type User Data	Flash Disk
Memory Type User Program	DDR RAM
Minimum Order Quantity	1 piece
Mounting Type	Front face
Order Multiple	1 piece
Package Level 1 Depth / Length	290 mm
Package Level 1 Height	130 mm
Package Level 1 Units	1 carton
Package Level 1 Width	210 mm
	16.8 W
Power Supply	24 (18 ... 30) V DC
Product Main Type	CP635
Product Name	Control Panels
Product Net Height	147 mm
Product Net Length	51 mm
Product Net Weight	0.76 kg
Product Net Width	187 mm
Product Type	PLC-CP600
Quote Only	No
Real-time Clock	Hardware clock, battery back-up
SCIP	31e1307a-5f2c-4ae6-9003-579c6e29d5dd Germany (DE)
Screen Color	64k colors
Screen Resolution	800 x 480 pixel
Screen Size	16:9 wide screen 7 in
Screen Type	TFT color, LED backlight, touch screen
Security	Password protection with 8 user levels
Selling Unit of Measure	piece
Serial Port 1 Type	RS232/RS422/RS485
Service Life	40000 hour
Short Description	CP635-WEB Control Panel 7" microbr. V2.3 webserver
Stocked At (Warehouses)	Menden, Germany Singapore, Singapore Hangzhou, China
UNSPSC	32151703
USB Port 1 Type	Host, version 2.0
USB Port 2 Type	Host, version 2.0
WEEE B2C / B2B	Business To Business
WEEE Category	5. Small Equipment (No External Dimension More Than 50 cm)
eClass	27-33-02-01

Categories

PLC Automation → Control panels → CP600 → Devices

