

PRODUCT-DETAILS

CP676-WEB

CP676-WEB Control Panel 15" with microbrowser for V2.3 webserver



General Information

Extended Product Type	CP676-WEB
Product ID	1SAP576200R0001
ABB Type Designation	CP676-WEB
EAN	4013614493188
Catalog Description	CP676-WEB Control Panel 15" with microbrowser for V2.3 webserver
Long Description	CP676-WEB Control Panel 15" TFT touch screen, 64 K colors, 1024 x 768 pixel, microbrowser for V2.3 webserver

Additional Information

ABB Type Designation	CP676-WEB
Ambient Air Temperature	Operation 0 ... +50 °C Storage -20 ... +70 °C
CN8	85371091
Communication Interface	2x Ethernet 10/100Mbit 1x RS-232/-422/-485 2x USB 2.0 Host 1x SD-card slot 2x Expansion slot
Country of Origin	Italy (IT) Germany (DE)
Customs Tariff Number	85371091
Degree of Protection	acc. to IEC 60529 Front IP66 acc. to IEC 60529 Housing IP20
EAN	4013614493188
EPLAN Catalog Tree	Electrical engineering / General / General

Gross Weight	4.9 kg
Housing Material	Front side: Aluminium Reverse side: Aluminium
Invoice Description	CP676-WEB Control Panel 15" with microbrowser for V2.3 webserver
Made To Order	No
Memory Size User Data	256 MB
Memory Size User Program	256 MB
Memory Type User Data	Flash Disk
Memory Type User Program	DDR RAM
Minimum Order Quantity	1 piece
Mounting Type	Front face
Order Multiple	1 piece
Package Level 1 Depth / Length	505 mm
Package Level 1 Height	140 mm
Package Level 1 Units	1 carton
Package Level 1 Width	410 mm
	34 W
Power Supply	24 (18 ... 30) V DC
Product Main Type	CP676
Product Name	Control Panels
Product Net Height	307 mm
Product Net Length	64 mm
Product Net Weight	3.3 kg
Product Net Width	392 mm
Product Type	PLC-CP600
Quote Only	No
Real-time Clock	Hardware clock, battery back-up
Replaced Product ID (OLD)	1SAP575200R0001
SCIP	25e72737-7970-4bbb-8d7b-3656bafb5d1e Germany (DE)
Screen Color	64k colors
Screen Resolution	1024 x 768 pixel
Screen Size	4:3 screen 15 in
Screen Type	TFT color, LED backlight, touch screen
Security	Password protection with 8 user levels
Selling Unit of Measure	piece
Serial Port 1 Type	RS232/RS422/RS485
Service Life	40000 hour
Short Description	CP676-WEB Control Panel 15",microbr.f.V2.3 websv.
Stocked At (Warehouses)	Menden, Germany Singapore, Singapore Hangzhou, China
UNSPSC	32151703
USB Port 1 Type	Host, version 2.0
USB Port 2 Type	Host, version 2.0
WEEE B2C / B2B	Business To Business
WEEE Category	5. Small Equipment (No External Dimension More Than 50 cm)
eClass	27-33-02-01

Categories

PLC Automation → Control panels → CP600 → Devices

