

PRODUCT-DETAILS

CA3-10

CA3-10 Auxiliary Contact Block



General Information	
Extended Product Type	CA3-10
Product ID	1SBN011010T1010
EAN	3471523095007
Catalog Description	CA3-10 Auxiliary Contact Block
Long Description	CA3-10 Auxiliary Contact Block

Technical	
Product Name	Auxiliary Contact Block
Suitable For	AS09 AS12 AS16 ASL09 ASL12 ASL16 VAS09 VAS12 VAS16 VASL09 VASL12 VASL16 NS NSL
Rated Operational Voltage	Auxiliary Circuit 690 V Main Circuit 690 V
Rated Insulation Voltage (U _i)	acc. to IEC 60947-5-1 and VDE 0110 (Gr. C) 690 V acc. to UL/CSA 600 V

Rated Operational Current AC-15 (I _e)	(500 V) NC 2 (500 V) 2 A (690 V) 2 A (24 / 127 V) 6 A (220 / 240 V) 4 A (400 / 440 V) 3 A
Rated Short-time Withstand Current Low Voltage (I _{cw})	for 0.1 s 140 A for 1 s 100 A
Rated Frequency (f)	Auxiliary Circuit 50 / 60 Hz
Number of Auxiliary Contacts NC	0
Number of Auxiliary Contacts NO	1
Low Coil Consumption	No
Tightening Torque	Auxiliary Circuit 1 N·m
Wire Stripping Length	Auxiliary Circuit 9 mm
Terminal Type	Screw Terminals

Environmental

Degree of Protection	acc. to IEC 60529, IEC 60947-1, EN 60529 Auxiliary Terminals IP20
RoHS Status	Following EU Directive 2011/65/EU
Environmental Information	1SBD250133E1001

Technical UL/CSA

Tightening Torque UL/CSA	Auxiliary Circuit 9 in·lb
--------------------------	---------------------------

Dimensions

Product Net Width	44.2 mm
Product Net Height	33.5 mm
Product Net Depth / Length	9.5 mm
Product Net Weight	0.011 kg

Container Information

Package Level 1 Units	10 piece
Package Level 1 Width	130 mm
Package Level 1 Height	64 mm
Package Level 1 Depth / Length	45 mm
Package Level 1 Gross Weight	0.11 kg
Package Level 1 EAN	3471523095007
Package Level 2 Units	400 piece
Package Level 2 Width	270 mm
Package Level 2 Height	220 mm
Package Level 2 Depth / Length	360 mm
Package Level 2 Gross Weight	4.6 kg

Ordering

Minimum Order Quantity	10 piece
Customs Tariff Number	85389099
E-Number (Sweden)	3210519
Country of Origin	China (CN)
Selling Unit of Measure	piece

Certificates and Declarations (Document Number)

CB Certificate	CB_CN_32922
CCC Certificate	CCC_2007010305252103
CQC Certificate	CQC2007010305252103
Declaration of Conformity - CCC	2020980305001186
Declaration of Conformity - CE	1SBD250017U1000
Declaration of Conformity - UKCA	1SBD250052U1000
Environmental Information	1SBD250133E1001
GOST Certificate	GOST_POCCCNME77B07822.pdf
Instructions and Manuals	1SBC101020M9701
RoHS Information	1SBD251004E1001
UL Certificate	UL_220108-E312527A
UL Listing Card	NOA_E312527.pdf

Popular Downloads

Instructions and Manuals	1SBC101020M9701
UL Listing Card	NOA_E312527.pdf

Classifications

ETIM 6	EC000041 - Auxiliary contact block
ETIM 7	EC000041 - Auxiliary contact block
ETIM 8	EC000041 - Auxiliary contact block
WEEE Category	5. Small Equipment (No External Dimension More Than 50 cm)
WEEE B2C / B2B	Business To Business
CN8	8538 90 99
UNSPSC	39121522
IDEA Granular Category Code (IGCC)	4743 >> Auxiliary contact block
Object Classification Code	K

Categories

Low Voltage Products and Systems → Control Products → Contactors → Block Contactors Accessories

