

PRODUCT-DETAILS

CA3-01S

CA3-01S Auxiliary Contact Block



General Information	
Extended Product Type	CA3-01S
Product ID	1SBN011019T1001
EAN	3471523095052
Catalog Description	CA3-01S Auxiliary Contact Block
Long Description	CA3-01S Auxiliary Contact Block

Technical	
Product Name	Auxiliary Contact Block
Suitable For	AS09 AS12 AS16 ASL09 ASL12 ASL16 VAS09 VAS12 VAS16 VASL09 VASL12 VASL16 NS NSL
Rated Operational Voltage	Auxiliary Circuit 690 V Main Circuit 690 V
Rated Insulation Voltage (U _i)	acc. to IEC 60947-5-1 and VDE 0110 (Gr. C) 690 V acc. to UL/CSA 600 V

Rated Operational Current AC-15 (I _e)	(500 V) NC 2 (500 V) 2 A (690 V) 2 A (24 / 127 V) 6 A (220 / 240 V) 4 A (400 / 440 V) 3 A
Rated Short-time Withstand Current Low Voltage (I _{cw})	for 0.1 s 140 A for 1 s 100 A
Rated Frequency (f)	Auxiliary Circuit 50 / 60 Hz
Number of Auxiliary Contacts NC	1
Number of Auxiliary Contacts NO	0
Low Coil Consumption	No
Wire Stripping Length	Auxiliary Circuit 10 mm
Terminal Type	Spring Terminals

Environmental

Degree of Protection	acc. to IEC 60529, IEC 60947-1, EN 60529 Auxiliary Terminals IP20
RoHS Status	Following EU Directive 2011/65/EU
Environmental Information	1SBD250133E1001

Dimensions

Product Net Width	44.2 mm
Product Net Height	33.5 mm
Product Net Depth / Length	9.5 mm
Product Net Weight	0.011 kg

Container Information

Package Level 1 Units	10 piece
Package Level 1 Width	130 mm
Package Level 1 Height	64 mm
Package Level 1 Depth / Length	45 mm
Package Level 1 Gross Weight	0.11 kg
Package Level 1 EAN	3471523095052
Package Level 2 Units	400 piece
Package Level 2 Width	270 mm
Package Level 2 Height	220 mm
Package Level 2 Depth / Length	360 mm
Package Level 2 Gross Weight	4.6 kg

Ordering

Minimum Order Quantity	10 piece
Customs Tariff Number	85389099
Country of Origin	China (CN)
Selling Unit of Measure	piece

Certificates and Declarations (Document Number)	
CB Certificate	CB_CN_32922
CCC Certificate	CCC_2007010305252103
CQC Certificate	CQC2007010305252103
Declaration of Conformity - CCC	2020980305001186
Declaration of Conformity - CE	1SBD250017U1000
Declaration of Conformity - UKCA	1SBD250052U1000
Environmental Information	1SBD250133E1001
GOST Certificate	GOST_POCCCNME77B07822.pdf
Instructions and Manuals	1SBC101020M9701
RoHS Information	1SBD251009E1001
UL Certificate	UL_220108-E312527A

Popular Downloads	
Instructions and Manuals	1SBC101020M9701

Classifications	
ETIM 6	EC000041 - Auxiliary contact block
ETIM 7	EC000041 - Auxiliary contact block
ETIM 8	EC000041 - Auxiliary contact block
WEEE Category	5. Small Equipment (No External Dimension More Than 50 cm)
WEEE B2C / B2B	Business To Business
CN8	8538 90 99
UNSPSC	39121522
IDEA Granular Category Code (IGCC)	4743 >> Auxiliary contact block
Object Classification Code	K

Categories

Low Voltage Products and Systems → Control Products → Contactors → Block Contactors Accessories

