

PRODUCT-DETAILS

GEARED MOTOR DEVICE 220/250V E1/6-T8

GEARED MOTOR DEVICE 220/250V E1/6-T8



General Information

Extended Product Type	GEARED MOTOR DEVICE 220/250V E1/6-T8
Product ID	1SDA038324R1
EAN	8015644383244
Catalog Description	GEARED MOTOR DEVICE 220/250V E1/6-T8
Long Description	GEARED MOTOR DEVICE SUPPLY VOLTAGE 220/250V DC/AC AND SPRINGS CHARGED ELECTRICAL INDICATION E1/6-T8

Ordering

EAN	8015644383244
Minimum Order Quantity	1 piece
Customs Tariff Number	85389099

Dimensions

Product Net Width	125 mm
Product Net Height	175 mm
Product Net Depth / Length	195 mm
Product Net Weight	1,9 kg

Container Information

Package Level 1 Units	1 piece
Package Level 1 Width	140 mm
Package Level 1 Height	175 mm
Package Level 1 Depth / Length	180 mm
Package Level 1 Gross Weight	1.665 kg
Package Level 1 EAN	8015644383244

Environmental

RoHS Status	No declaration needed
-------------	-----------------------

Additional Information

Configuration Type	Loose or configurable
Current Type	AC/DC
Product Main Type	Accessories for Emax
Product Name	Accessory
Product Type	Accessory
Rated Voltage (U _r)	220 ... 250 V AC/DC
Standards	IEC
Suitable For	E1, E2, E3, E4, E6, T8
Suitable for Product Class	SACE Emax, SACE Tmax T

Certificates and Declarations (Document Number)

Data Sheet, Technical Information	1SDC200006D0209
Declaration of Conformity - CE	1SDL000165R0013 1SDL000165R0014 1SDL000165R0015 1SDL000165R0016 1SDL000165R0017 1SDL000165R0008
Instructions and Manuals	1SDC200006D0209

Classifications

ETIM 6	EC001030 - Motor operator for power circuit-breaker
ETIM 7	EC001030 - Motor operator for power circuit-breaker
Object Classification Code	Q
WEEE Category	5. Small Equipment (No External Dimension More Than 50 cm)

Categories

Low Voltage Products and Systems → Circuit Breakers → Air Circuit Breakers → Accessories for Emax

Low Voltage Products and Systems → Circuit Breakers → Air Circuit Breakers → Accessories for Emax (old)

Low Voltage Products and Systems → Circuit Breakers → Moulded Case Circuit Breakers → Accessories for Tmax T

