

PRODUCT-DETAILS

Ekip G Hi-Touch LSIG In=320 XT5 4p

Ekip G Hi-Touch LSIG In=320 XT5 4p



General Information

Extended Product Type	Ekip G Hi-Touch LSIG In=320 XT5 4p
Product ID	1SDA100708R1
EAN	8056221007849
Catalog Description	Ekip G Hi-Touch LSIG In=320 XT5 4p
Long Description	SOLID-STATE RELEASE FOUR-POLE IN AC EKIP G HI-TOUCH LSIG R 320 XT5

Ordering

EAN	8056221007849
Minimum Order Quantity	1 piece
Customs Tariff Number	85389099

Dimensions

Product Net Width	120 mm
Product Net Height	160 mm
Product Net Depth / Length	190 mm
Product Net Weight	1.85 kg

Container Information

Package Level 1 Units	1 piece
-----------------------	---------

Package Level 1 Width	120 mm
Package Level 1 Height	180 mm
Package Level 1 Depth / Length	225 mm
Package Level 1 Gross Weight	2.014 kg
Package Level 1 EAN	8056221007849

Environmental

Ambient Air Temperature	Operation -40 ... 125 °C
RoHS Status	Following EU Directive 2011/65/EU and Amendment 2015/863 July 22, 2019

Additional Information

Circuit Breaker Type to be Associated	Generator Protection
Configuration Type	Loose or configurable
Current Type	AC
Number of Poles	4
Order Multiple	1 piece
Product Main Type	Accessories for Tmax XT
Product Name	Accessory
Product Type	ACC
Rated Current (I _n)	320 A
Release	Ekip G Hi-Touch LSiG
Release Type	EL
Standards	IEC 60947
Suitable For	XT5

Certificates and Declarations (Document Number)

Data Sheet, Technical Information	1SDC210100D0206 1SDC210099D0206
Instructions and Manuals	1SDH002039A1002
REACH Declaration	9AKK108466A1425
RoHS Information	9AKK108466A1424

Classifications

ETIM 7	EC001023 - Shunt release (for power circuit breaker)
Object Classification Code	Q
WEEE Category	5. Small Equipment (No External Dimension More Than 50 cm)

Categories

Low Voltage Products and Systems → Circuit Breakers → Moulded Case Circuit Breakers → Tmax XT

