

PRODUCT-DETAILS

Ekip G Hi-Touch LSIG In400 XT5 4p UL/CSA

Ekip G Hi-Touch LSIG In400 XT5 4p UL/CSA



General Information

Extended Product Type	Ekip G Hi-Touch LSIG In400 XT5 4p UL/CSA
Product ID	1SDA102830R1
EAN	8056221024969
Catalog Description	Ekip G Hi-Touch LSIG In400 XT5 4p UL/CSA
Long Description	SOLID-STATE RELEASE FOUR-POLE IN AC EKIP G HI-TOUCH LSIG R 400 XT5 UL/CSA

Ordering

EAN	8056221024969
Minimum Order Quantity	1 piece
Customs Tariff Number	85389099

Dimensions

Product Net Width	120 mm
Product Net Height	160 mm
Product Net Depth / Length	190 mm
Product Net Weight	1.6 kg

Container Information

Package Level 1 Units	1 piece
-----------------------	---------

Package Level 1 Width	120 mm
Package Level 1 Height	160 mm
Package Level 1 Depth / Length	190 mm
Package Level 1 Gross Weight	1.7 kg
Package Level 1 EAN	8056221024969

Environmental

Ambient Air Temperature	Operation -40 ... 125 °C
RoHS Status	Following EU Directive 2011/65/EU and Amendment 2015/863 July 22, 2019

Additional Information

Circuit Breaker Type to be Associated	Generator Protection
Configuration Type	Loose or configurable
Current Type	AC
Number of Poles	4
Order Multiple	1 piece
Product Main Type	Accessories for Tmax XT
Product Name	Accessory
Product Type	ACC
Rated Current (I _n)	400 A
Release	Ekip G Hi-Touch LSiG
Release Type	EL
Standards	UL
Suitable For	XT5
Suitable for Product Class	SACE Tmax XT
Terminal Connection Type	Fixed Circuit-Breakers Front
Version	F

Certificates and Declarations (Document Number)

Data Sheet, Technical Information	1SDC210200D0206 1SDC210199D0206
Instructions and Manuals	1SDH002039A1002
REACH Declaration	9AKK108466A1425
RoHS Information	9AKK108466A1424

Classifications

ETIM 6	EC001023 - Shunt release (for power circuit breaker)
ETIM 7	EC001023 - Shunt release (for power circuit breaker)
WEEE Category	5. Small Equipment (No External Dimension More Than 50 cm)

Categories

Low Voltage Products and Systems → Circuit Breakers → Moulded Case Circuit Breakers → Accessories for Tmax XT

