

PRODUCT-DETAILS

XLBM2-3P

XLBM2-3P

"No longer for sale" replaced by



General Information

Extended Product Type	XLBM2-3P
Product ID	1SEP102142R0121
EAN	7025840021612
Catalog Description	XLBM2-3P
Long Description	XLBM2-3P

Ordering

Minimum Order Quantity	1 piece
Customs Tariff Number	85363000
Replacement Product ID (NEW)	1SEP620012R3000
Country of Origin	Bulgaria (BG)

Popular Downloads

Data Sheet, Technical Information	1SEC312022B0201
Instructions and Manuals	1SEC312022B0201

Dimensions

Product Net Width	10 cm
Product Net Height	66 cm
Product Net Depth / Length	17.8 cm
Product Net Weight	4.8 kg

Technical

Rated Operational Current AC-21B (I _e)	(690 V) 400 A
Rated Operational Current AC-22B (I _e)	(500 V) 400 A
Rated Operational Current AC-23B (I _e)	(380 ... 415 V) 315 A
Rated Impulse Withstand Voltage (U _{imp})	8 kV
Rated Operational Voltage	Main Circuit 500 V AC
Handle Type	3P
Fuse Size	NH2
Mounting Type	185mm Busbar/support mounting facilities
Number of Poles	3
Degree of Protection	acc. to IEC 60529 IP30
Terminal Type	Bolt
Fuse Type	NH

Environmental

Environmental Information	1SEP501008P0001
---------------------------	-----------------

Certificates and Declarations (Document Number)

Declaration of Conformity - CE	1SEP500034P0001
Environmental Information	1SEP501008P0001
Instructions and Manuals	1SEC312022B0201

Container Information

Package Level 1 Units	1 piece
Package Level 1 Gross Weight	4.8 kg

Classifications

Object Classification Code	Q
ETIM 4	EC001040 - Fuse switch disconnecter
ETIM 5	EC001040 - Fuse switch disconnecter
ETIM 6	EC001040 - Fuse switch disconnecter
ETIM 7	EC001040 - Fuse switch disconnecter
ETIM 8	EC001040 - Fuse switch disconnecter
WEEE Category	4. Large Equipment (Any External Dimension More Than 50 cm)

E-Number (Sweden)

0731537

Categories

Low Voltage Products and Systems → Fusegear → Fuse Switch Disconnectors → InLine

