

PRODUCT-DETAILS

AD-ZLBM123-210-185

AD-ZLBM123-210-185 Adapter 185mm to 210mm



General Information

Extended Product Type	AD-ZLBM123-210-185
Product ID	1SEP622564R0001
EAN	3800161652653
Catalog Description	AD-ZLBM123-210-185 Adapter 185mm to 210mm
Long Description	The Cu+ adapter enables retrofitting where SLBM and BSL is to be replaced. It enables adjacent install ability between Inline II and SLBM + BSL. Through its dedicated design the cable connection areas of both variants are at the same level, also the depth is optimized bringing the handles to nearly identical level, meaning no further modifications at site are required. The Cu+ adapter can be combined with each switch out of the Inline II portfolio. Double switches require two adapters.

Ordering

Customs Tariff Number	85389099
Country of Origin	Bulgaria (BG)

Popular Downloads

Data Sheet, Technical Information	1SEC312024B0201 1SEC312023D0201 9AKK107680A8500
Instructions and Manuals	9AKK107991A5736
Mechanical Drawings	9AKK107680A8031 9AKK107991A5737

9AKK107991A5738

Dimensions

Product Net Width	92 mm
Product Net Height	595 mm
Product Net Depth / Length	92 mm
Product Net Weight	4.6 kg

Technical

Distance Between Phases	185 mm
Device Type Manager (DTM)	Fuseswitchdisconnector
Fuse Type	NH
Electronic Fuse Monitoring	No

Environmental

RoHS Status	Following EU Directive 2011/65/EU and Amendment 2015/863 July 22, 2019
-------------	--

Certificates and Declarations (Document Number)

Instructions and Manuals	9AKK107991A5736
RoHS Information	9AKK107991A6284

Container Information

Package Level 1 Units	box 1 piece
Package Level 1 EAN	3800161652653

Classifications

ETIM 4	EC001040 - Fuse switch disconnector
ETIM 5	EC001040 - Fuse switch disconnector
ETIM 6	EC001040 - Fuse switch disconnector
ETIM 7	EC001040 - Fuse switch disconnector
ETIM 8	EC001040 - Fuse switch disconnector
WEEE Category	5. Small Equipment (No External Dimension More Than 50 cm)

Categories

Low Voltage Products and Systems → Fusegear → Fuse Switch Disconnectors → Inline II

