


PRODUCT-DETAILS

MCB-20

MCB-20 Contact Block



General Information

Extended Product Type	MCB-20
Product ID	1SFA611610R1002
EAN	7320500544334
Catalog Description	MCB-20 Contact Block
Long Description	Modular contact block

Ordering

Minimum Order Quantity	10 piece
Customs Tariff Number	8536901000

Popular Downloads

Data Sheet, Technical Information	1SFC151007C02_
Instructions and Manuals	1SFC151011M0201

Dimensions

Product Net Width	0.02 m
Product Net Height	0.044 m
Product Net Depth /	0.028 m

Length

Product Net Weight	0.04 kg
--------------------	---------

Technical

Ambient Air Temperature	Operation -25 ... +70 °C Storage -40 ... +85 °C
Illumination	Non-illuminated
Function	Without holder
Mounting Type	Front mounting
Number of Auxiliary Contacts NC	0
Number of Auxiliary Contacts NO	2
Degree of Protection	Terminals IP20
Rated Frequency (f)	Supply Circuit 50 / 60 Hz
Rated Operational Voltage	Maximum 690 V AC/DC
Rated Operational Current DC-13 (I _e)	(24 V) 5 A (125 V) 1.1 A
Rated Operational Current AC-15 (I _e)	(230 V AC) 6 A
Power Loss	Maximum 5 W
Mechanical Durability	10 million
Connecting Capacity Main Circuit	Flexible with Ferrule 1/2x 0.75 ... 2.5 mm ² Flexible with Insulated Ferrule 1x 0.75 ... 2.5 mm ² Flexible with Insulated Ferrule 2x 0.75 ... 2.5 mm ² Flexible 1 x 0.75 ... 2.5 mm ² Flexible 2 x 0.75 ... 2.5 mm ² Solid 1 x 0.75...2.5 mm ² Solid 2 x 0.75...2.5 mm ²
Terminal Type	Screw Terminals
Tightening Torque	0.9 N·m
Wire Stripping Length	8 mm

Environmental

RoHS Status	Following EU Directive 2011/65/EU and Amendment 2015/863 July 22, 2019
RoHS Date	0635 4
RoHS Information	2CMT2015-005452
WEEE Category	5. Small Equipment (No External Dimension More Than 50 cm)
WEEE B2C / B2B	Business To Business

Certificates and Declarations (Document Number)

CB Certificate	SEMKO_SE30016M2
CQC Certificate	CQC2005010304154103
cULus Certificate	UL-E76003-20140513
Declaration of Conformity - CCC	2020980305001528
Declaration of Conformity - CE	2CMT2015-005452
DNV GL Certificate	E-14107
EAC Certificate	RU C-CN.ME77.B.01927
Environmental Information	1SAC200074H0001
Instructions and Manuals	1SFC151011M0201
RoHS Information	2CMT2015-005452

Container Information		
Package Level 1 Units		bag 10 piece
Package Level 1 Width		0.11 m
Package Level 1 Depth / Length		0.15 m
Package Level 1 Height		0.02 m
Package Level 1 Gross Weight		0.4 kg
Package Level 1 EAN		7320500307755

Classifications		
Object Classification Code		S
ETIM 4	EC002024 - Accessories for control circuit devices	
ETIM 5	EC000041 - Auxiliary contact block	
ETIM 6	EC000041 - Auxiliary contact block	
ETIM 7	EC000041 - Auxiliary contact block	
eClass	V11.0 : 27371302	
UNSPSC	39121500	
E-Number (Finland)	2339082	
E-Number (Norway)	4372990	
E-Number (Sweden)	3714015	

Categories	
Low Voltage Products and Systems → Control Products → Pilot Devices → Modular Plastic Range	

