

PRODUCT-DETAILS

C3SS5-10B-11

Selector Switch C3SS5-10B-11



General Information

Extended Product Type	C3SS5-10B-11
Product ID	1SFA619214R1076
EAN	7320500555712
Catalog Description	Selector Switch C3SS5-10B-11
Long Description	Selector Switch #C3SS5-10B-11

Ordering

Minimum Order Quantity	10 piece
Customs Tariff Number	85365019

Popular Downloads

Data Sheet, Technical Information	1SFC151007C02_
Instructions and Manuals	1SFC151011M0201

Dimensions

Product Net Width	0.029 m
Product Net Height	0.04 m
Product Net Depth /	0.073 m

Length

Product Net Weight	0.024 kg
--------------------	----------

Technical

Ambient Air Temperature	Operation -25 ... +70 °C Storage -40 ... +85 °C
Degree of Protection	Front IP66 Front IP67 Front IP69K Terminals IP20
Enclosure Type NEMA	Type1 Type12 Type13 Type3R Type4 Type4X
Rated Frequency (f)	50 / 60 Hz
Rated Operational Voltage	Maximum 300 V AC/DC
Rated Operational Current AC-15 (I _e)	(240 V) 1 A
Terminal Type	Screw Terminals
Tightening Torque	0.8 N·m
Wire Stripping Length	6 mm

Environmental

RoHS Status	Following EU Directive 2011/65/EU and Amendment 2015/863 July 22, 2019
RoHS Information	2CMT2015-005451
WEEE Category	5. Small Equipment (No External Dimension More Than 50 cm)
WEEE B2C / B2B	Business To Business

Certificates and Declarations (Document Number)

CB Certificate	CQC_CN_CN50749
CCC Certificate	2003010305054693_
CQC Certificate	CQC2003010305054693
cURus Certificate	UL_E496500-20171020
Declaration of Conformity - CCC	2020980305001187
Declaration of Conformity - CE	2CMT2015-005451
DNV GL Certificate	9AKK107046A3749
EAC Certificate	RU C-CN.ME77.B.00587/20
Environmental Information	1SAC200022H0002
Instructions and Manuals	1SFC151011M0201
RoHS Information	2CMT2015-005451

Container Information

Package Level 1 Units	bag 10 piece
Package Level 1 EAN	7320500472286

Classifications

ETIM 6	EC001029 - Selector switch, complete
ETIM 7	EC001029 - Selector switch, complete
eClass	V11.0 : 27371243
UNSPSC	39121500

Categories

Low Voltage Products and Systems → Control Products → Pilot Devices → Compact Range

