

PRODUCT-DETAILS

CL9-5026

Pilot Light CL9-5026



General Information

Extended Product Type	CL9-5026
Product ID	1SFA619499R5026
EAN	7320500556580
Catalog Description	Pilot Light CL9-5026
Long Description	Compact Pilot Light - Pilot light head - Red - Illuminated - Lamptype: LED 24V AC/DC

Ordering

Minimum Order Quantity	10 piece
Customs Tariff Number	8536619090

Popular Downloads

Data Sheet, Technical Information	1SFC151007C02_
Instructions and Manuals	1SFC151011M0201

Dimensions

Product Net Width	0.03 m
Product Net Height	0.03 m
Product Net Depth /	0.052 m

Length

Product Net Weight	0.1 kg
--------------------	--------

Technical

Ambient Air Temperature	Operation -25 ... +70 °C Storage -40 ... +85 °C
Color	Red
Actuator Type	Pilot light head
Illumination	Illuminated
Lamp Type	24V AC / DC, integrated LED
Device Marking	FAULT
Degree of Protection	Front IP66 Front IP67 Front IP69K Terminals IP20
Enclosure Type NEMA	Type1 Type12 Type13 Type3R Type4 Type4X
Pollution Degree	3
Rated Operational Voltage	Supply Circuit 24 V AC/DC
Terminal Type	Screw Terminals
Tightening Torque	0.9 N·m
Wire Stripping Length	8 mm

Environmental

RoHS Status	Following EU Directive 2011/65/EU and Amendment 2015/863 July 22, 2019
RoHS Information	2CMT2015-005451
WEEE Category	5. Small Equipment (No External Dimension More Than 50 cm)
WEEE B2C / B2B	Business To Business

Certificates and Declarations (Document Number)

CB Certificate	CQC_CN_CN50749
Declaration of Conformity - CE	2CMT2015-005451
DNV GL Certificate	9AKK107046A3749
Environmental Information	1SAC200026H0002
Instructions and Manuals	1SFC151011M0201
RoHS Information	2CMT2015-005451

Container Information

Package Level 1 Units	bag 10 piece
Package Level 1 EAN	7320500508121

Classifications

ETIM 6	EC000272 - Indicator light complete
ETIM 7	EC000272 - Indicator light complete
eClass	V11.0 : 27371223

UNSPSC	39121500
E-Number (Norway)	4373505
E-Number (Sweden)	3705751

Categories

Low Voltage Products and Systems → Control Products → Pilot Devices → Compact Range → CL

