

## PRODUCT-DETAILS

# CE4T-10B-01

## Black E-Stop Twistø40mm CE4T-10B-01



### General Information

|                       |                                                                                   |
|-----------------------|-----------------------------------------------------------------------------------|
| Extended Product Type | CE4T-10B-01                                                                       |
| Product ID            | 1SFA619550R1046                                                                   |
| EAN                   | 7320500260722                                                                     |
| Catalog Description   | Black E-Stop Twistø40mm CE4T-10B-01                                               |
| Long Description      | Compact Machine Stop - Twistrelease -40mm Mushroom - Black - Non-illuminated -1NC |

### Ordering

|                        |          |
|------------------------|----------|
| Minimum Order Quantity | 10 piece |
| Customs Tariff Number  | 85365019 |

### Popular Downloads

|                                   |                 |
|-----------------------------------|-----------------|
| Data Sheet, Technical Information | 1SFC151007C02__ |
| Instructions and Manuals          | 1SFC151011M0201 |

### Dimensions

|                   |        |
|-------------------|--------|
| Product Net Width | 0.04 m |
|-------------------|--------|

|                            |          |
|----------------------------|----------|
| Product Net Height         | 0.04 m   |
| Product Net Depth / Length | 0.073 m  |
| Product Net Weight         | 0.034 kg |

## Technical

|                                                      |                                                           |
|------------------------------------------------------|-----------------------------------------------------------|
| Ambient Air Temperature                              | Operation -25 ... +70 °C<br>Storage -40 ... +85 °C        |
| Color                                                | Black                                                     |
| Actuator Type                                        | Mushroom 40 mm                                            |
| Bezel Material                                       | n/a                                                       |
| Illumination                                         | Non-illuminated                                           |
| Function                                             | Maintained                                                |
| Sub-Function                                         | Twist release                                             |
| Degree of Protection                                 | Front IP66<br>Front IP67<br>Front IP69K<br>Terminals IP20 |
| Enclosure Type NEMA                                  | Type1<br>Type12<br>Type13<br>Type3R<br>Type4<br>Type4X    |
| Rated Frequency (f)                                  | 50 / 60 Hz                                                |
| Rated Operational Voltage                            | 24 ... 300 V                                              |
| Rated Operational Current<br>DC-13 (I <sub>g</sub> ) | (24 V) 0.3 A<br>(125 V) 0.2 A                             |
| Rated Operational Current<br>AC-15 (I <sub>g</sub> ) | (240 V) 1 A                                               |

## Environmental

|                  |                                                                        |
|------------------|------------------------------------------------------------------------|
| RoHS Status      | Following EU Directive 2011/65/EU and Amendment 2015/863 July 22, 2019 |
| RoHS Date        | 0635 4                                                                 |
| RoHS Information | 2CMT2015-005451                                                        |
| WEEE Category    | 5. Small Equipment (No External Dimension More Than 50 cm)             |
| WEEE B2C / B2B   | Business To Business                                                   |

## Certificates and Declarations (Document Number)

|                                    |                     |
|------------------------------------|---------------------|
| CB Certificate                     | CQC_CN_CN50749      |
| CCC Certificate                    | 2003010305054693_   |
| CQC Certificate                    | CQC2003010305054693 |
| cULus Certificate                  | UL_E496500-20171020 |
| Declaration of Conformity<br>- CCC | 2020980305001187    |
| Declaration of Conformity<br>- CE  | 2CMT2015-005451     |
| DNV GL Certificate                 | 9AKK107046A3749     |

|                           |                 |
|---------------------------|-----------------|
| Environmental Information | 1SAC200025H0002 |
| Instructions and Manuals  | 1SFC151011M0201 |
| RoHS Information          | 2CMT2015-005451 |

Container Information

|                                |               |
|--------------------------------|---------------|
| Package Level 1 Units          | bag 1 piece   |
| Package Level 1 Width          | 0.1 m         |
| Package Level 1 Depth / Length | 0.1 m         |
| Package Level 1 Height         | 0.04 m        |
| Package Level 1 Gross Weight   | 0.036 kg      |
| Package Level 1 EAN            | 7320500260722 |

Classifications

|        |                                    |
|--------|------------------------------------|
| ETIM 6 | EC002034 - Emergency stop complete |
| ETIM 7 | EC001028 - Push button, complete   |
| eClass | V11.0 : 27371228                   |
| UNSPSC | 39121500                           |

Categories

Low Voltage Products and Systems → Control Products → Pilot Devices → Compact Range

