

## PRODUCT-DETAILS

# CB1-610Y

## BUZZER CB1-610Y



### General Information

|                       |                                                                              |
|-----------------------|------------------------------------------------------------------------------|
| Extended Product Type | CB1-610Y                                                                     |
| Product ID            | 1SFA619600R6103                                                              |
| EAN                   | 7320500556818                                                                |
| Catalog Description   | BUZZER CB1-610Y                                                              |
| Long Description      | Compact Buzzer - Pulsating sound with pulsating light - Yellow - Illuminated |

### Ordering

|                        |          |
|------------------------|----------|
| Minimum Order Quantity | 10 piece |
| Customs Tariff Number  | 85369001 |

### Popular Downloads

|                                   |                 |
|-----------------------------------|-----------------|
| Data Sheet, Technical Information | 1SFC151007C02_  |
| Instructions and Manuals          | 1SFC151011M0201 |

### Dimensions

|                     |         |
|---------------------|---------|
| Product Net Width   | 0.03 m  |
| Product Net Height  | 0.03 m  |
| Product Net Depth / | 0.055 m |

Length

|                    |          |
|--------------------|----------|
| Product Net Weight | 0.021 kg |
|--------------------|----------|

## Technical

|                           |                                                           |
|---------------------------|-----------------------------------------------------------|
| Ambient Air Temperature   | Operation -25 ... +70 °C<br>Storage -40 ... +85 °C        |
| Color                     | Yellow                                                    |
| Illumination              | Illuminated                                               |
| Function                  | Pulsating sound with pulsating light                      |
| Degree of Protection      | Front IP66<br>Front IP67<br>Front IP69K<br>Terminals IP20 |
| Enclosure Type NEMA       | Type1<br>Type12<br>Type13<br>Type3R<br>Type4<br>Type4X    |
| Rated Frequency (f)       | 50 / 60 Hz                                                |
| Rated Operational Voltage | Supply Circuit 24 V AC/DC                                 |
| Sound dB (A)              | 80 dB                                                     |
| Terminal Type             | Screw Terminals                                           |
| Tightening Torque         | 0.9 N·m                                                   |
| Wire Stripping Length     | 8 mm                                                      |

## Environmental

|                  |                                                                        |
|------------------|------------------------------------------------------------------------|
| RoHS Status      | Following EU Directive 2011/65/EU and Amendment 2015/863 July 22, 2019 |
| RoHS Date        | 635 4                                                                  |
| RoHS Information | 2CMT2015-005451                                                        |
| WEEE Category    | 5. Small Equipment (No External Dimension More Than 50 cm)             |
| WEEE B2C / B2B   | Business To Business                                                   |

## Certificates and Declarations (Document Number)

|                                 |                     |
|---------------------------------|---------------------|
| CB Certificate                  | CQC_CN_CN50749      |
| CQC Certificate                 | CQC2003010305054693 |
| cURus Certificate               | UL_E496500-20171020 |
| Declaration of Conformity - CCC | 2020980305001187    |
| Declaration of Conformity - CE  | 2CMT2015-005451     |
| DNV GL Certificate              | 9AKK107046A3749     |
| Environmental Information       | 1SAC200023H0002     |
| Instructions and Manuals        | 1SFC151011M0201     |
| RoHS Information                | 2CMT2015-005451     |

## Container Information

|                                |              |
|--------------------------------|--------------|
| Package Level 1 Units          | bag 10 piece |
| Package Level 1 Width          | 0.05 m       |
| Package Level 1 Depth / Length | 0.235 m      |
| Package Level 1 Height         | 0.125 m      |

|                              |               |
|------------------------------|---------------|
| Package Level 1 Gross Weight | 0.214 kg      |
| Package Level 1 EAN          | 7320500401262 |

Classifications

|                            |                                                    |
|----------------------------|----------------------------------------------------|
| Object Classification Code | P                                                  |
| ETIM 4                     | EC002024 - Accessories for control circuit devices |
| ETIM 5                     | EC001026 - Acoustic indicator                      |
| ETIM 6                     | EC001026 - Acoustic indicator                      |
| ETIM 7                     | EC001026 - Acoustic indicator                      |
| eClass                     | V11.0 : 27371214                                   |
| UNSPSC                     | 39121500                                           |
| E-Number (Finland)         | 2313699                                            |
| E-Number (Sweden)          | 3705039                                            |

Categories

Low Voltage Products and Systems → Control Products → Pilot Devices → Compact Range

