

PRODUCT-DETAILS

PSRC9-600-70-1

PSRC9-600-70-1 Softstarter



General Information

Global Commercial Alias	PSRC9-600-70-1
Extended Product Type	PSRC9-600-70-1
Product ID	1SFA896205R7001
ABB Type Designation	PSRC9-600-70-1
EAN	7320500540404
Catalog Description	PSRC9-600-70-1 Softstarter
Long Description	Softstarter PSRC9-600-70-1

Ordering

Minimum Order Quantity	1 piece
Customs Tariff Number	85044090

Popular Downloads

Data Sheet, Technical Information	1SFC132012C0201
-----------------------------------	-----------------

Dimensions

Product Net Width	114 mm
Product Net Height	140 mm
Product Net Depth /	45 mm

Length

Product Net Weight	0.4 kg
--------------------	--------

Technical

Rated Operational Voltage	208 ... 600 V AC
Rated Control Supply Voltage (U _s)	100 ... 240 V AC
Rated Control Circuit Voltage (U _c)	50 Hz / 60 Hz 100 ... 240 V AC DC Operation 24 V
Rated Frequency (f)	50/60 Hz Main Circuit 50 / 60 Hz
Service Factor Percentage	100 %
Starting Capacity at Maximum Rated Current I _e	4xI _e for 6s
Product Main Type	PSRC9

Environmental

Ambient Air Temperature	Operation -25 ... +60 °C Storage -40 ... +70 °C
RoHS Status	Following EU Directive 2011/65/EU

Certificates and Declarations (Document Number)

CQC Certificate	CQC2006010304208085
Declaration of Conformity - CCC	2020980304001087
Declaration of Conformity - CE	2CMT003878
Environmental Information	1SFC132038D0201
RoHS Information	1SFC132031D0202

Container Information

Package Level 1 Width	121 mm
Package Level 1 Depth / Length	50 mm
Package Level 1 Height	156 mm
Package Level 1 Gross Weight	0.55 kg
Package Level 1 EAN	7320500540404
Package Level 1 Units	box 1 piece

Classifications

Object Classification Code	Q
ETIM 6	EC002572 - Motor management device
UNSPSC	39121521

Categories

Drives → Softstarters → Softstarters → PSR Softstarters → PSRC9

Low Voltage Products and Systems → Control Products → Softstarters → Softstarters → PSR Softstarters → PSRC9

