

PRODUCT-DETAILS

# AUX. CONTACT CCL18-01

## CCL18-01 Auxiliary Contact Block



### General Information

|                       |                                  |
|-----------------------|----------------------------------|
| Extended Product Type | AUX. CONTACT CCL18-01            |
| Product ID            | 1SFN014328R1001                  |
| EAN                   | 7320500256336                    |
| Catalog Description   | CCL18-01 Auxiliary Contact Block |
| Long Description      | CCL18-01 Auxiliary Contact Block |

### Technical

|              |                                                                                                                                                              |
|--------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Product Name | Auxiliary Contact Block                                                                                                                                      |
| Suitable For | A95<br>A110<br>A130<br>A145<br>A185<br>A210<br>A260<br>A300<br>A320<br>AF95<br>AF110<br>AF145<br>AF185<br>AF210<br>AF260<br>AF300<br>AF400<br>AF460<br>AF580 |

- AF750
- AF1250
- AF1250H
- AF1350
- AF1350T
- AF1650
- AF1650T
- AF2050
- AF2050T
- AF2650
- AF2650T
- GAF185
- GAF300
- GAF460
- GAF750
- GAF1250
- GAF2050
- UA95
- UA110
- UAF95
- UAF110
- A95D
- A110D
- A115D
- A145D
- A150D
- A185D
- A205D
- A260D
- A300D
- A370D
- AE95
- AE110
- TEA95
- TAE110
- AF95B
- AF110B
- AF145B
- AF185B
- AF210B
- AF260B
- AF300B
- AF185K
- AF300K
- AF95FP
- AF110FP
- AF400F
- AF460F
- AF580F
- AF750F
- AM110
- AM185
- AM300

|                           |                                                           |
|---------------------------|-----------------------------------------------------------|
| Rated Operational Voltage | Auxiliary Circuit 24 ... 690 V                            |
| Power Loss                | at Rated Operating Conditions per Pole 0.15 W             |
| Tightening Torque         | Auxiliary Circuit 1 N·m                                   |
| Recommended Screw Driver  | Auxiliary Circuit 1 x 5.5<br>Auxiliary Circuit Pozidriv 2 |
| Wire Stripping Length     | Auxiliary Circuit 9 mm                                    |
| Terminal Type             | Screw Terminals                                           |

|                      |                                   |
|----------------------|-----------------------------------|
| <b>Environmental</b> |                                   |
| RoHS Status          | Following EU Directive 2011/65/EU |

|                   |       |
|-------------------|-------|
| <b>Dimensions</b> |       |
| Product Net Width | 65 mm |

|                            |         |
|----------------------------|---------|
| Product Net Height         | 70 mm   |
| Product Net Depth / Length | 15 mm   |
| Product Net Weight         | 0.04 kg |

## Container Information

|                              |               |
|------------------------------|---------------|
| Package Level 1 Units        | bag 1 piece   |
| Package Level 1 Gross Weight | 0.05 kg       |
| Package Level 1 EAN          | 7320500256336 |

## Ordering

|                         |                     |
|-------------------------|---------------------|
| Minimum Order Quantity  | 1 piece             |
| Customs Tariff Number   | 85369010            |
| Country of Origin       | Czech Republic (CZ) |
| Selling Unit of Measure | piece               |

## Certificates and Declarations (Document Number)

|                                |                 |
|--------------------------------|-----------------|
| cUL Certificate                | 20120925-E36588 |
| Declaration of Conformity - CE | 2CMT2015-005448 |
| Instructions and Manuals       | N/A             |
| RoHS Information               | 2CMT2016-005489 |

## Popular Downloads

|                          |     |
|--------------------------|-----|
| Instructions and Manuals | N/A |
|--------------------------|-----|

## Classifications

|                            |                                                               |
|----------------------------|---------------------------------------------------------------|
| ETIM 6                     | EC000041 - Auxiliary contact block                            |
| ETIM 7                     | EC000041 - Auxiliary contact block                            |
| ETIM 8                     | EC000041 - Auxiliary contact block                            |
| EPLAN Catalog Tree         | Electrical engineering / Relays, contactors / Auxiliary block |
| WEEE Category              | 5. Small Equipment (No External Dimension More Than 50 cm)    |
| WEEE B2C / B2B             | Business To Business                                          |
| CN8                        | 8536 90 10                                                    |
| Object Classification Code | K                                                             |

## Categories

Low Voltage Products and Systems → Control Products → Contactors → Block Contactors Accessories

