

PRODUCT-DETAILS

CR-P024AC2G

CR-P024AC2G Pluggable interface relay
2c/o,A1-A2=24VAC, 250V/8A, gold contacts



General Information

Extended Product Type	CR-P024AC2G
Product ID	1SVR405606R0000
EAN	4013614498312
Catalog Description	CR-P024AC2G Pluggable interface relay 2c/o,A1-A2=24VAC, 250V/8A, gold contacts
Long Description	CR-P024AC2G Pluggable interface relay 2c/o,A1-A2=24VAC, 250V/8A, gold contacts

Ordering

Minimum Order Quantity	10 piece
Customs Tariff Number	85364900

Popular Downloads

Data Sheet, Technical Information	2CDC110004C0210_05
Instructions and Manuals	1SVC405600M9000

Dimensions

Product Net Width	12.7 mm
Product Net Height	15.7 mm
Product Net Depth /	29 mm

Length

Product Net Weight	0.014 kg
--------------------	----------

Technical

Function	Pluggable pcb interface relay CR-P
Sub-Function	Relay with gold-plated contacts
Output	2 c/o (SPDT) contacts
Output Signal	250 V / 8 A
Rated Control Supply Voltage (U _s)	24 V AC

Environmental

RoHS Status	Following EU Directive 2011/65/EU
-------------	-----------------------------------

Certificates and Declarations (Document Number)

cUR Certificate	cUR_E244330
Declaration of Conformity - CCC	2020970303000496
Declaration of Conformity - CE	No declaration needed
EAC Certificate	EAC_RU_C-DE.ME77.B.00446-19
Environmental Information	1SAA981009-2401
Instructions and Manuals	1SVC405600M9000
RMRS Certificate	RMRS_1740019250
RoHS Information	1SVD982031-0000
UR Certificate	UR_E244330
VDE Certificate	VDE_40019129

Container Information

Package Level 1 Units	box 10 piece
Package Level 1 Width	332 mm
Package Level 1 Height	28 mm
Package Level 1 Depth / Length	17 mm
Package Level 1 Gross Weight	0.157 kg
Package Level 1 EAN	4013614400940

Classifications

Object Classification Code	K
ETIM 4	EC001437 - Switching relay
ETIM 5	EC001437 - Switching relay
ETIM 6	EC001437 - Switching relay
ETIM 7	EC001437 - Switching relay
eClass	V11.0 : 27371601
UNSPSC	39122331

Categories

Low Voltage Products and Systems → Control Products → Electronic Relays and Controls → Interface Relays and Optocouplers

