


PRODUCT-DETAILS

CR-M4SFB

CR-M4SFB Standard socket, fork type for 2c/o or 4c/o CR-MX relay



General Information

Extended Product Type	CR-M4SFB
Product ID	1SVR405651R3400
EAN	4013614499074
Catalog Description	CR-M4SFB Standard socket, fork type for 2c/o or 4c/o CR-MX relay
Long Description	The CR-M4SFB socket is from the CR-MX (miniature) relay range. This standard socket is suitable for CR-MX relays with 2 or 4 c/o (SPDT) output contacts. The socket has fork type screw connection terminals. Pluggable function modules and metal holder are available as accessories.

Ordering

Minimum Order Quantity	240 piece
Customs Tariff Number	85366990

Popular Downloads

Data Sheet, Technical Information	2CDC117021D0201
Instructions and Manuals	1SVC405650M9000

Dimensions

Product Net Width	30.3 mm
-------------------	---------

Product Net Height	66.7 mm
Product Net Depth / Length	29 mm
Product Net Weight	0.053 kg

Environmental

RoHS Status	Following EU Directive 2011/65/EU
-------------	-----------------------------------

Certificates and Declarations (Document Number)

cURus Certificate	cURus508_E244328
Declaration of Conformity - CE	1SVD982020-0001
Environmental Information	1SAA981009-2402
Instructions and Manuals	1SVC405650M9000
RoHS Information	1SVD982020-0001

Container Information

Package Level 1 Units	box 10 piece
Package Level 1 Width	63 mm
Package Level 1 Height	68 mm
Package Level 1 Depth / Length	153 mm
Package Level 1 Gross Weight	0.546 kg
Package Level 1 EAN	4013614489037
Package Level 2 Units	240 piece
Package Level 2 Width	275 mm
Package Level 2 Height	225 mm
Package Level 2 Depth / Length	335 mm
Package Level 2 Gross Weight	14.338 kg
Package Level 2 EAN	4013614505744

Classifications

Object Classification Code	K
ETIM 5	EC001456 - Relay socket
ETIM 6	EC001456 - Relay socket
ETIM 7	EC001456 - Relay socket
eClass	V11.0 : 27371603
UNSPSC	39122335

Categories

Low Voltage Products and Systems → Control Products → Electronic Relays and Controls → Interface Relays and Optocouplers

