

PRODUCT-DETAILS

DO571

DO571:S500,Digital Out.Mod.8DO-Relay



General Information

Extended Product Type	DO571
Product ID	1TNE968902R2202
ABB Type Designation	DO571
EAN	6943747170251
Catalog Description	DO571:S500,Digital Out.Mod.8DO-Relay
Long Description	DO571:S500,Digital Out.Mod.8DO-Relay DO-Relay:120/240VAC/2A,1-wire

Additional Information

ABB Type Designation	DO571
ABS Certificate	1SAA960003-0102
Ambient Air Temperature	Operation 0 ... +60 °C Storage -40 ... +70 °C
BV Certificate	1SAA960004-0201
CN8	85371091
CSA Certificate	1SAA960000-1709
Country of Origin	China (CN) Germany (DE)
Customs Tariff Number	85371091
DNV Certificate	1SAA960003-0302
Declaration of Conformity - C-Tick	1SAA960001-3301
Declaration of Conformity - CE	1SAD938508-0167
Declaration of	1SAA960000-4801

Conformity - KCC

Degree of Protection	IP20
EAN	6943747170251
EPLAN Catalog Tree	Electrical engineering / PLC / PLC output card digital
ETIM 7	EC001419 - PLC digital I/O-module
ETIM 8	EC001419 - PLC digital I/O-module
Environmental Information	1SAA960011-2403
GL Certificate	1SAA960005-0403
GOST Certificate	1SAA962000-2703
Gross Weight	0.242 kg
I/O Option	eCo-IO module with Onboard IO - 8DO-R
Invoice Description	DO571:S500,Digital Out.Mod.8DO-Relay
LR Certificate	1SAA960003-0502
Made To Order	No
Maximum Operating Altitude Permissible	2000 m
Maximum Order Quantity	80 piece
Minimum Order Quantity	1 piece
Mounting Position	Horizontal, Vertical possible with derating
Mounting Type	DIN rail and panel mounting
Mounting on DIN Rail	TH35-15 (35 x 15 mm Mounting Rail) acc. to IEC 60715
Number of Digital Output Relays	8
Order Multiple	1 piece
Output Current	2 A
Output Voltage (U _{out})	24...230 V
Primary Voltage	24 V
Product Main Type	DO571
Product Name	Distributed Automation I/Os
Product Net Height	74 mm
Product Net Length	135 mm
Product Net Weight	0.138 kg
Product Net Width	34 mm
Product Type	PLC-AC500-eCo
Programming Software	AC500 Control Builder PS501-PROG
Quote Only	No
RINA Certificate	1SAA960004-0803
RMRS Certificate	1SAA960002-0701
RoHS Information	1SAA960010-4406
RoHS Status	Following EU Directive 2002/95/EC August 18, 2005 and amendment
SCIP	c8426195-c83d-48f5-8f07-75d5f9962da6 Germany (DE)
Selling Unit of Measure	piece
Short Description	DO571:S500,Digital Out.Mod.8DO-Relay
Stocked At (Warehouses)	Menden, Germany Singapore, Singapore Hangzhou, China
UL Certificate	1SAA960000-1609
UNSPSC	32151705
WEEE B2C / B2B	Business To Business
WEEE Category	5. Small Equipment (No External Dimension More Than 50 cm)
cUL Certificate	1SAA960000-1709
eClass	27-24-22-04

Categories

PLC Automation → Programmable Logic Controllers PLCs → AC500-eCo → S500-eCo I/O modules

