

PRODUCT-DETAILS

E211X-25-30

E211X-25-30 ON-OFF Switch



General Information

Extended Product Type	E211X-25-30
Product ID	2CCA703116R0001
EAN	7612270938926
Catalog Description	E211X-25-30 ON-OFF Switch
Long Description	On-Off switches with switch position indication, according DIN EN 60669-1, VDE 0632 Part 1, Rated currents: 16/25 A, 250 VACPDC, Contacts: 1 NO/2 NO/3 NO, Module width: 0,5/1

Technical

Standards	EN60669-1 EN60669-2-4
Product Name	ON-OFF Switch
Rated Voltage (U_r)	Minimum 24 V
Rated Operational Voltage	250 V
Rated Current (I_n)	25 A
Rated Service Short-Circuit Breaking Capacity (I_{cs})	3 kA
Power Watt	0.18 W
Number of Poles	3
Number of Contacts CO	0
Number of Contacts NC	0
Number of Contacts NO	3

Number of Main Contacts NC	0
Number of Main Contacts NO	3
Number of Auxiliary Contacts CO (SPDT)	0
Number of LEDs	1
Options Provided	3 NO
Color	Yellow

Environmental

Degree of Protection	IP20
RoHS Status	Following EU Directive 2002/95/EC August 18, 2005 and amendment
Environmental Information	2CCC441003C0201

Dimensions

Width in Number of Modular Spacings	1
Product Net Width	18 mm
Product Net Height	85 mm
Product Net Depth / Length	67.9 mm
Product Net Weight	60 g
Product Net Length	68 mm
Built-In Depth (t ₂)	68 mm

Container Information

Package Level 1 Units	box 10 piece
Package Level 1 Width	96 mm
Package Level 1 Height	76 mm
Package Level 1 Depth / Length	185 mm
Package Level 1 Gross Weight	65 g
Package Level 1 EAN	7612270938926

Ordering

Minimum Order Quantity	10 piece
Customs Tariff Number	85365000
E-Number (Finland)	3602417
E-Number (Switzerland)	437260638
Country of Origin	Switzerland (CH)
Selling Unit of Measure	piece

Certificates and Declarations (Document Number)

CB Certificate	9AKK108466A3838
CCC Certificate	9AKK108466A3833
Declaration of Conformity - CE	2CCC441013D0201
EAC Certificate	9AKK107991A4779
Environmental	2CCC441003C0201

Information

Instructions and Manuals	No document needed
RoHS Information	2CCC413008D0206
VDE Certificate	9AKK108466A3836

Popular Downloads

Data Sheet, Technical Information	2CCC441003C0101
Instructions and Manuals	No document needed

Classifications

ETIM 6	EC001545 - Main switch for distribution board
ETIM 7	EC001545 - Main switch for distribution board
ETIM 8	EC001545 - Main switch for distribution board
EPLAN Catalog Tree	Electrical engineering / Sensor, switch, and pushbutton / Switch , pushbutton
EPLAN Function Definition	Switch / pushbutton / Triple switch / pushbutton, 6 connection points / Switch, triple NO contact 1_2_3_4_5_6
WEEE Category	5. Small Equipment (No External Dimension More Than 50 cm)
WEEE B2C / B2B	Business To Consumer
CN8	85365053
Object Classification Code	S

Categories

Low Voltage Products and Systems → Modular DIN Rail Products → Command and Signalling Devices → Control Switches, Pushbuttons and Indicator Lights

