

PRODUCT-DETAILS

BE/S4.20.1

BE/S4.20.1 Binary Input, 4-fold, Contact Scanning, MDRC



General Information

Extended Product Type	BE/S4.20.1
Product ID	2CDG110053R0011
EAN	4016779630375
Catalog Description	BE/S4.20.1 Binary Input, 4-fold, Contact Scanning, MDRC
Long Description	The device interrogates 4 floating contacts using an internally generated scanning voltage. The state of the inputs is displayed via 4 LEDs. The binary inputs enable the detection of totally 4 signals (in 2 groups). Each channel has a push button for manual operation. The devices are supplied by the ABB i-bus®, there is no additional power supply necessary. Bus connection via bus connection terminals.

Technical

Product Name	Standard Inputs
Color	Light grey

Environmental

RoHS Status	No declaration needed
-------------	-----------------------

Dimensions

Product Net Width	36 mm
Product Net Height	64.5 mm

Product Net Depth / Length	90 mm
Product Net Weight	0.1 kg

Container Information

Package Level 1 Units	box 1 piece
Package Level 1 Width	92 mm
Package Level 1 Height	65 mm
Package Level 1 Depth / Length	41 mm
Package Level 1 Gross Weight	0.12 kg
Package Level 1 EAN	4016779630375

Ordering

Minimum Order Quantity	1 piece
Customs Tariff Number	85389091
Country of Origin	Germany (DE)
Selling Unit of Measure	piece

Certificates and Declarations (Document Number)

Declaration of Conformity - CE	2CDK504011D0601
Instructions and Manuals	2CDG941002P0003
RoHS Information	2CDG510005-0010

Popular Downloads

Data Sheet, Technical Information	2CDC504041D0201 2CDC504048D0203
Installing and Commissioning Manual	2CDC504042D0201
Instructions and Manuals	2CDG941002P0003

Classifications

ETIM 6	EC000688 - Binary input for bus system
ETIM 7	EC000688 - Binary input for bus system
ETIM 8	EC000688 - Binary input for bus system
EPLAN Catalog Tree	Electrical engineering / Logic items / General
CN8	8538 90 91
eClass	V11.0 : 27143121

Categories

Low Voltage Products and Systems → Home and Building Automation → KNX → Standard Inputs → Binary Inputs Contact Scanning

