


PRODUCT-DETAILS

PLU703M-K20-V1

PLU703M-K20-V1 Branch MCB



General Information

Extended Product Type	PLU703M-K20-V1
Product ID	2CDT323001R0487
Catalog Description	PLU703M-K20-V1 Branch MCB
Long Description	PLU703M-K20-V1 MCB ProLine K-Char., 14kA, 20A, 3P

Technical

Standards	UL 489
Product Name	Branch MCB
Power Loss	7.5 W at Rated Operating Conditions per Pole 2.5 W

Environmental

RoHS Status	Following EU Directive 2011/65/EU
-------------	-----------------------------------

Dimensions

Product Net Weight	0.001 kg
--------------------	----------

Ordering

Minimum Order Quantity	1 piece
Customs Tariff Number	85362010
Country of Origin	Germany (DE)
Selling Unit of Measure	piece

Certificates and Declarations (Document Number)

Certification Agency	UL
Declaration of Conformity - CE	No declaration needed
Instructions and Manuals	No document needed

Popular Downloads

Data Sheet, Technical Information	No document needed
Instructions and Manuals	No document needed

Classifications

ETIM 6	EC000042 - Miniature circuit breaker (MCB)
ETIM 7	EC000042 - Miniature circuit breaker (MCB)
ETIM 8	EC000042 - Miniature circuit breaker (MCB)
EPLAN Catalog Tree	Electrical engineering / Protection devices / General
WEEE Category	5. Small Equipment (No External Dimension More Than 50 cm)
WEEE B2C / B2B	Business To Consumer
CN8	8536 20 10
UNSPSC	39121614
eClass	V11.0 : 27141901

Categories

Low Voltage Products and Systems → Modular DIN Rail Products → Panelboard UL67 - ProLine → Branch MCB

