

PRODUCT-DETAILS

2088 BM

2088 BM Socket Schuko monoblock 2M



General Information

Extended Product Type	2088 BM
Product ID	2CLA208800A1001
EAN	8427238002651
Catalog Description	2088 BM Socket Schuko monoblock 2M
Long Description	16 A / 250 V~. Protection level: IP21

Technical

Product Name	Socket Schuko monoblock 2M
Rated Voltage (U_r)	250 V
Rated Current (I_n)	16 A
Frequency (f)	50...60 Hz
Number of Phases	2
Number of Gangs	1
Connection Type	Screw
Mounting Type	Flush mounted (plaster)
Socket Outlet Type	Protective Contact (SCHUKO)
Type of Fastening	Screw
Surface Finishing	Untreated Glossy
Material	Duroplast Plastic
Legend	Without imprint

Model Number	Protective contact (SCHUKO)
Color	Cream white (electro white)
Number of Batteries	0

Environmental

Ambient Air Temperature	Operation -5 ... +35 °C Storage -5 ... +50 °C
Degree of Protection	IP21

Dimensions

Product Net Weight	0.103 kg
--------------------	----------

Container Information

Package Level 1 Units	10 piece
Package Level 1 Width	0.157 m
Package Level 1 Height	0.084 m
Package Level 1 Depth / Length	0.232 m
Package Level 1 Gross Weight	1.03 kg
Package Level 1 EAN	8427238002651

Ordering

Minimum Order Quantity	10 piece
Customs Tariff Number	85366990
Country of Origin	Spain (ES)
Selling Unit of Measure	piece

Classifications

ETIM 6	EC000125 - Socket outlet
ETIM 7	EC000125 - Socket outlet
ETIM 8	EC000125 - Socket outlet
WEEE Category	5. Small Equipment (No External Dimension More Than 50 cm)
WEEE B2C / B2B	Business To Consumer
CN8	85366990

Categories

Low Voltage Products and Systems → Switch Assortments → Flush Mounted Modular Range - Niessen → Design Status → Flush Mounted Inserts with Cover Plate → Single Socket Outlets

Low Voltage Products and Systems → Switch Assortments → Flush Mounted Modular Range - Niessen → Design Stylo → Flush Mounted Inserts with Cover Plate → Single Socket Outlets

Low Voltage Products and Systems → Switch Assortments → Socket Outlets → Single Socket Outlets → Single Socket Outlets - Flush Mounted → Single Socket Outlets

