

PRODUCT-DETAILS

2104.6 BA

2104.6 BA Push button NC 1M



General Information

Extended Product Type	2104.6 BA
Product ID	2CLA210460A1101
EAN	8427238029610
Catalog Description	2104.6 BA Push button NC 1M
Long Description	10 AX / 250 V~. Lit with neon lamp ref.: 2191

Technical

Product Name	Push button NC 1M
Rated Voltage (U_r)	250 V
Rated Current (I_n)	10 A
Contacts Configuration	0 NO, 1 NC
Number of Poles	1
Number of Rocker Switches	1
Actuator Type	Rocker
Mounting Type	Flush mounted (plaster)
Type of Fastening	Engage (Snap)
Surface Finishing	0NO1NC
Material	Plastic
Model Number	Single push button
Color	White
Number of Batteries	0

Environmental

Ambient Air Temperature	Operation -5 ... +35 °C Storage -5 ... +50 °C
Degree of Protection	IP20

Dimensions

Product Net Width	22 mm
Product Net Height	44 mm
Product Net Weight	0.029 kg
Built-In Depth (t ₂)	25 mm

Container Information

Package Level 1 Units	5 piece
Package Level 1 Width	77 mm
Package Level 1 Height	50 mm
Package Level 1 Depth / Length	297 mm
Package Level 1 Gross Weight	0.145 kg
Package Level 1 EAN	8427238029610

Ordering

Minimum Order Quantity	5 piece
Customs Tariff Number	85365080
Country of Origin	Spain (ES)
Selling Unit of Measure	piece

Classifications

ETIM 6	EC000029 - Push button
ETIM 7	EC000029 - Push-switch button
ETIM 8	EC000029 - Push-switch button
WEEE Category	5. Small Equipment (No External Dimension More Than 50 cm)
WEEE B2C / B2B	Business To Consumer
CN8	85365080

Categories

Low Voltage Products and Systems → Switch Assortments → Flush Mounted Modular Range - Niessen → Design Status → Flush Mounted Inserts with Cover Plate → Mechanical Switch / Push Button

Low Voltage Products and Systems → Switch Assortments → Flush Mounted Modular Range - Niessen → Design Stylo → Flush Mounted Inserts with Cover Plate → Mechanical Switch / Push Button

Low Voltage Products and Systems → Switch Assortments → Light / LoadControl → Mechanical Switch / Push Button → Mechanical Switch / Push Button - Flush Mounted → Mechanical Switch / Push Button

