

PRODUCT-DETAILS

2106 BM

2106 BM Socket outlet 2P+E 1M



General Information

Extended Product Type	2106 BM
Product ID	2CLA210600A1001
EAN	8427238002972
Catalog Description	2106 BM Socket outlet 2P+E 1M
Long Description	10 A / 250 V~. For plugs with pin diameter max. 4 mm

Technical

Product Name	Socket outlet 2P+E 1M
Rated Voltage (U_r)	250 V
Rated Current (I_n)	10 A
Frequency (f)	50...60 Hz
Number of Phases	2
Number of Active Pin Terminals	0
Number of Gangs	1
Connection Type	Screw
Mounting Type	Flush mounted (plaster)
Type of Fastening	Snapper Mounting
Surface Finishing	Untreated Glossy
Material	Duroplast Plastic
Legend	Without imprint

Color	Cream white (electro white)
Number of Batteries	0

Environmental

Ambient Air Temperature	Operation -5 ... +35 °C Storage -5 ... +50 °C
Degree of Protection	IP20

Dimensions

Product Net Width	22 mm
Product Net Height	44 mm
Product Net Weight	0.029 kg

Container Information

Package Level 1 Units	20 piece
Package Level 1 Width	0.11 m
Package Level 1 Height	0.05 m
Package Level 1 Depth / Length	0.293 m
Package Level 1 Gross Weight	0.58 kg
Package Level 1 EAN	8427238002972

Ordering

Minimum Order Quantity	20 piece
Customs Tariff Number	85366990
Country of Origin	Spain (ES)
Selling Unit of Measure	piece

Classifications

ETIM 6	EC000125 - Socket outlet
ETIM 7	EC000125 - Socket outlet
ETIM 8	EC000125 - Socket outlet
WEEE Category	5. Small Equipment (No External Dimension More Than 50 cm)
WEEE B2C / B2B	Business To Consumer
CN8	85366990

Categories

Low Voltage Products and Systems → Switch Assortments → Flush Mounted Modular Range - Niessen → Design Status → Flush Mounted Inserts with Cover Plate → Single Socket Outlets

Low Voltage Products and Systems → Switch Assortments → Flush Mounted Modular Range - Niessen → Design Stylo → Flush Mounted Inserts with Cover Plate → Single Socket Outlets

Low Voltage Products and Systems → Switch Assortments → Socket Outlets → Single Socket Outlets → Single Socket Outlets - Flush Mounted → Single Socket Outlets

