

PRODUCT-DETAILS

2106.2 BM

2106.2 BM Socket outlet 2P+E 1M



General Information

Extended Product Type	2106.2 BM
Product ID	2CLA210620A1001
EAN	8427238028514
Catalog Description	2106.2 BM Socket outlet 2P+E 1M
Long Description	10 A / 250 V~. For plugs with pin diameter max. 4 mm

Technical

Product Name	Socket outlet 2P+E 1M
Rated Voltage (U_r)	250 V
Rated Current (I_n)	10 A
Frequency (f)	50...60 Hz
Number of Phases	2
Number of Active Pin Terminals	0
Number of Gangs	1
Connection Type	Screw
Mounting Type	Flush mounted (plaster)
Socket Outlet Type	Power Socket Outlets - Italian P11 acc. to CEI 23-50
Type of Fastening	Snapper Mounting
Surface Finishing	Untreated Glossy
Material	Duroplast Plastic

Legend	Without imprint
Model Number	Italian type P11
Color	Cream white (electro white)
Number of Batteries	0

Environmental

Ambient Air Temperature	Operation -5 ... +35 °C Storage -5 ... +50 °C
Degree of Protection	IP20

Dimensions

Product Net Width	22 mm
Product Net Height	44 mm
Product Net Weight	0.029 kg

Container Information

Package Level 1 Units	20 piece
Package Level 1 Width	0.11 m
Package Level 1 Height	0.05 m
Package Level 1 Depth / Length	0.293 m
Package Level 1 Gross Weight	0.58 kg
Package Level 1 EAN	8427238028514

Ordering

Minimum Order Quantity	20 piece
Customs Tariff Number	85366990
Country of Origin	Spain (ES)
Selling Unit of Measure	piece

Classifications

ETIM 6	EC000125 - Socket outlet
ETIM 7	EC000125 - Socket outlet
ETIM 8	EC000125 - Socket outlet
WEEE Category	5. Small Equipment (No External Dimension More Than 50 cm)
WEEE B2C / B2B	Business To Consumer
CN8	85366990

Categories

Low Voltage Products and Systems → Switch Assortments → Flush Mounted Modular Range - Niessen → Design Status → Flush Mounted Inserts with Cover Plate → Single Socket Outlets

Low Voltage Products and Systems → Switch Assortments → Flush Mounted Modular Range - Niessen → Design Stylo → Flush Mounted Inserts with Cover Plate → Single Socket Outlets

Low Voltage Products and Systems → Switch Assortments → Socket Outlets → Single Socket Outlets → Single Socket Outlets - Flush Mounted → Single Socket Outlets

