

PRODUCT-DETAILS

N2155.91 AN

N2155.91 AN USB female-female connection unit with cable - 1M - Anthracite



General Information

Extended Product Type	N2155.91 AN
Product ID	2CLA215591N1801
EAN	8427238204017
Catalog Description	N2155.91 AN USB female-female connection unit with cable - 1M - Anthracite
Long Description	Color: Anthracite. Front: 1x USB 2.0 connector (Type A connector). Rear: 1x USB 2.0 connector (Type A connector) with 20 cm cable extension. Size: 1 module.

Technical

Product Name	USB female-female connection unit with cable - 1M - Anthracite
Number of Batteries	0

Environmental

Ambient Air Temperature	Operation -5 ... +35 °C Storage -5 ... +50 °C
-------------------------	--

Dimensions

Product Net Width	22 mm
Product Net Height	44 mm

Product Net Weight	24 g
--------------------	------

Container Information

Package Level 1 Units	box 1 piece
Package Level 1 Width	73 mm
Package Level 1 Height	33 mm
Package Level 1 Depth / Length	73 mm
Package Level 1 Gross Weight	34 g
Package Level 1 EAN	8427238204017

Ordering

Minimum Order Quantity	1 piece
Customs Tariff Number	85369010
Country of Origin	Spain (ES)
Selling Unit of Measure	piece

Certificates and Declarations (Document Number)

Declaration of Conformity - CE	9AKK106930A1758
Instructions and Manuals	2CLX215509N1001

Popular Downloads

Data Sheet, Technical Information	9AKK10103A5108
Instructions and Manuals	2CLX215509N1001

Classifications

ETIM 6	EC000018 - Insert/cover for communication technology
ETIM 7	EC000018 - Insert/cover for communication technology
ETIM 8	EC000018 - Insert/cover for communication technology
WEEE Category	5. Small Equipment (No External Dimension More Than 50 cm)
WEEE B2C / B2B	Business To Consumer
CN8	85369010
UNSPSC	39121406

Categories

Low Voltage Products and Systems → Switch Assortments → Flush Mounted Modular Range - Niessen → Design Zenit → Flush Mounted Inserts with Cover Plate → VDI Connector

Low Voltage Products and Systems → Switch Assortments → VDI - Voice / Data / Image Connectors → VDI Connector → VDI Connector - Flush Mounted → VDI Connector

