


## PRODUCT-DETAILS

# 2202.3 BA

## 2202.3 BA Switch 2W w/indicator 2M



### General Information

|                       |                                                  |
|-----------------------|--------------------------------------------------|
| Extended Product Type | 2202.3 BA                                        |
| Product ID            | 2CLA220230A1101                                  |
| EAN                   | 8427238003580                                    |
| Catalog Description   | 2202.3 BA Switch 2W w/indicator 2M               |
| Long Description      | 10 AX / 250 V~.<br>Lit with neon lamp ref.: 2192 |

### Technical

|                                 |                                |
|---------------------------------|--------------------------------|
| Product Name                    | Switch 2W w/indicator 2M       |
| Function                        | Function lighting: Orientation |
| Rated Voltage (U <sub>r</sub> ) | 250 V                          |
| Rated Current (I <sub>n</sub> ) | 10 A                           |
| Maximum Switching Current       | Fluorescent Lamps 10           |
| Number of Rocker Switches       | 1                              |
| Wiring Configuration            | Two-way switch                 |
| Actuator Type                   | Rocker/button                  |
| Connection Type                 | Plug Clamp                     |
| Lamp Type                       | Glow lamp                      |
| Mounting Type                   | Flush mounted (plaster)        |
| Type of Fastening               | Engage (Snap)                  |
| Surface Finishing               | Untreated<br>Glossy            |

|                      |          |
|----------------------|----------|
| Material             | Plastic  |
| Label Space Provided | No       |
| Illumination         | Optional |
| Color                | White    |
| Number of Batteries  | 0        |

## Environmental

|                         |                                                  |
|-------------------------|--------------------------------------------------|
| Ambient Air Temperature | Operation -5 ... +35 °C<br>Storage -5 ... +50 °C |
| Degree of Protection    | IP20                                             |

## Dimensions

|                    |         |
|--------------------|---------|
| Product Net Width  | 44 mm   |
| Product Net Height | 44 mm   |
| Product Net Weight | 0.03 kg |

## Container Information

|                                |               |
|--------------------------------|---------------|
| Package Level 1 Units          | 10 piece      |
| Package Level 1 Width          | 0.11 m        |
| Package Level 1 Height         | 0.05 m        |
| Package Level 1 Depth / Length | 0.293 m       |
| Package Level 1 Gross Weight   | 0.3 kg        |
| Package Level 1 EAN            | 8427238003580 |

## Ordering

|                         |            |
|-------------------------|------------|
| Minimum Order Quantity  | 10 piece   |
| Customs Tariff Number   | 85365080   |
| Country of Origin       | Spain (ES) |
| Selling Unit of Measure | piece      |

## Classifications

|                |                                                            |
|----------------|------------------------------------------------------------|
| ETIM 6         | EC001590 - Switch                                          |
| ETIM 7         | EC001590 - Switch                                          |
| ETIM 8         | EC001590 - Installation switch                             |
| WEEE Category  | 5. Small Equipment (No External Dimension More Than 50 cm) |
| WEEE B2C / B2B | Business To Consumer                                       |
| CN8            | 85365080                                                   |

## Categories

Low Voltage Products and Systems → Switch Assortments → Flush Mounted Modular Range - Niessen → Design Status → Flush Mounted Inserts with Cover Plate → Mechanical Switch / Push Button

Low Voltage Products and Systems → Switch Assortments → Flush Mounted Modular Range - Niessen → Design Stylo → Flush Mounted Inserts with Cover Plate → Mechanical Switch / Push Button

Low Voltage Products and Systems → Switch Assortments → Light / LoadControl → Mechanical Switch / Push Button → Mechanical Switch / Push Button - Flush Mounted → Mechanical Switch / Push Button

