

PRODUCT-DETAILS

BN2204 AN

BN2204 AN Push button bell symbol



General Information

Extended Product Type	BN2204 AN
Product ID	2CLA220400N1866
EAN	8427238078595
Catalog Description	BN2204 AN Push button bell symbol
Long Description	Color: Anthracite. Rated voltage: 110 - 250 Vac Rated current: 16 A Screwless terminals 1-gang, 1-way - Normally Opened (NO) contact Optional: locator LED lamp N2191. Size: 2 modules.

Technical

Product Name	Push button bell symbol
Rated Voltage (U_r)	250 V
Rated Current (I_n)	16 A
Contacts Configuration	1 NO, 0 NC
Number of Poles	1
Number of Rocker Switches	1
Actuator Type	Rocker
Mounting Type	Flush mounted (plaster)
Type of Fastening	Engage (Snap)
Surface Finishing	1NO0NC

Material	Thermoplastic Plastic
Legend	Symbol "bell"
Model Number	Single push button
Color	Anthracite
Number of Batteries	0

Environmental

Ambient Air Temperature	Operation -5 ... +35 °C Storage -5 ... +50 °C
Degree of Protection	IP20

Dimensions

Product Net Width	44 mm
Product Net Height	44 mm
Product Net Weight	0.037 kg
Built-In Depth (t ₂)	25 mm

Container Information

Package Level 1 Units	box 5 piece
Package Level 1 Width	0.198 m
Package Level 1 Height	0.113 m
Package Level 1 Depth / Length	0.205 m
Package Level 1 Gross Weight	0.185 kg
Package Level 1 EAN	8427238078595

Ordering

Minimum Order Quantity	5 piece
Customs Tariff Number	85365080
Country of Origin	Spain (ES)
Selling Unit of Measure	piece

Certificates and Declarations (Document Number)

Declaration of Conformity - CE	No declaration needed
Instructions and Manuals	2CLX210109N1001

Popular Downloads

Data Sheet, Technical Information	9AKK10103A5108
Instructions and Manuals	2CLX210109N1001

Classifications

ETIM 6	EC000029 - Push button
--------	------------------------

ETIM 7	EC000029 - Push-switch button
ETIM 8	EC000029 - Push-switch button
WEEE Category	5. Small Equipment (No External Dimension More Than 50 cm)
WEEE B2C / B2B	Business To Consumer
CN8	85365080

Categories

Low Voltage Products and Systems → Switch Assortments → Flush Mounted Modular Range - Niessen → Design Zenit → Flush Mounted Inserts with Cover Plate → Mechanical Switch / Push Button

Low Voltage Products and Systems → Switch Assortments → Light / LoadControl → Mechanical Switch / Push Button → Mechanical Switch / Push Button - Flush Mounted → Mechanical Switch / Push Button

