

PRODUCT-DETAILS

2210 BA

2210 BA Intermediate switch 2M



General Information

Extended Product Type	2210 BA
Product ID	2CLA221000A1103
EAN	8427238035802
Catalog Description	2210 BA Intermediate switch 2M
Long Description	10 AX / 250 V~. Lit with neon lamp ref.: 2192

Technical

Product Name	Intermediate switch 2M
Function	Function lighting: Orientation
Rated Voltage (U_r)	250 V
Rated Current (I_n)	10 A
Maximum Switching Current	Fluorescent Lamps 10
Number of Rocker Switches	1
Wiring Configuration	Intermediate switch
Actuator Type	Rocker/button
Connection Type	Plug Clamp
Lamp Type	Glow lamp
Mounting Type	Flush mounted (plaster)
Type of Fastening	Engage (Snap)
Surface Finishing	Untreated Glossy

Material	Duroplast Plastic
Label Space Provided	No
Illumination	Optional
Color	White
Number of Batteries	0

Environmental

Ambient Air Temperature	Operation -5 ... +35 °C Storage -5 ... +50 °C
Degree of Protection	IP20

Dimensions

Product Net Width	44 mm
Product Net Height	44 mm
Product Net Weight	0.032 kg

Container Information

Package Level 1 Units	10 piece
Package Level 1 Width	0.11 m
Package Level 1 Height	0.05 m
Package Level 1 Depth / Length	0.293 m
Package Level 1 Gross Weight	0.32 kg
Package Level 1 EAN	8427238035802

Ordering

Minimum Order Quantity	10 piece
Customs Tariff Number	85365080
Country of Origin	Spain (ES)
Selling Unit of Measure	piece

Certificates and Declarations (Document Number)

Declaration of Conformity - CE	No declaration needed
--------------------------------	-----------------------

Classifications

ETIM 6	EC001590 - Switch
ETIM 7	EC001590 - Switch
ETIM 8	EC001590 - Installation switch
WEEE Category	5. Small Equipment (No External Dimension More Than 50 cm)
WEEE B2C / B2B	Business To Consumer
CN8	85365080
UNSPSC	39122226

Categories

Low Voltage Products and Systems → Switch Assortments → Flush Mounted Modular Range - Niessen → Design Status → Flush Mounted Inserts with Cover Plate → Mechanical Switch / Push Button

Low Voltage Products and Systems → Switch Assortments → Flush Mounted Modular Range - Niessen → Design Stylo → Flush Mounted Inserts with Cover Plate → Mechanical Switch / Push Button

Low Voltage Products and Systems → Switch Assortments → Light / LoadControl → Mechanical Switch / Push Button → Mechanical Switch / Push Button - Flush Mounted → Mechanical Switch / Push Button

