

PRODUCT-DETAILS

2218.5 BM

2218.5 BM Data outlet RJ45 CAT5 2M



General Information

Extended Product Type	2218.5 BM
Product ID	2CLA221850A1003
EAN	8427238045320
Catalog Description	2218.5 BM Data outlet RJ45 CAT5 2M
Long Description	Frequency rate: 1-160 MHz. Transmission rate: 1,2 Gb/sec. In compliance with ISO 11801 Draft

Technical

Product Name	Data outlet RJ45 CAT5 2M
Mounting Type	Flush mounted (plaster)
Type of Fastening	Engage (Snap)
Type of Indicator	With indication plate
Surface Finishing	Untreated Glossy
Material	Duroplast Plastic
Color	Cream white (electro white)
Number of Batteries	0

Environmental

Ambient Air	Operation -5 ... +35 °C
-------------	-------------------------

Temperature	Storage -5 ... +50 °C
Degree of Protection	IP20

Dimensions

Product Net Width	44 mm
Product Net Height	44 mm
Product Net Weight	0.028 kg

Container Information

Package Level 1 Units	10 piece
Package Level 1 Width	0.11 m
Package Level 1 Height	0.05 m
Package Level 1 Depth / Length	0.293 m
Package Level 1 Gross Weight	0.28 kg
Package Level 1 EAN	8427238045320

Ordering

Minimum Order Quantity	10 piece
Customs Tariff Number	85369010
Country of Origin	Spain (ES)
Selling Unit of Measure	piece

Certificates and Declarations (Document Number)

Declaration of Conformity - CE	No declaration needed
Instructions and Manuals	2CLX211859A1001

Popular Downloads

Instructions and Manuals	2CLX211859A1001
--------------------------	-----------------

Classifications

ETIM 6	EC000018 - Insert/cover for communication technology
ETIM 7	EC000018 - Insert/cover for communication technology
ETIM 8	EC000018 - Insert/cover for communication technology
WEEE Category	5. Small Equipment (No External Dimension More Than 50 cm)
WEEE B2C / B2B	Business To Consumer
CN8	85369010
UNSPSC	39121406

Categories

Low Voltage Products and Systems → Switch Assortments → Flush Mounted Modular Range - Niessen → Design Status → Flush Mounted Inserts with Cover Plate → RJ45 Connector

Low Voltage Products and Systems → Switch Assortments → Flush Mounted Modular Range - Niessen → Design Stylo → Flush Mounted Inserts with Cover Plate → RJ45 Connector

Low Voltage Products and Systems → Switch Assortments → VDI - Voice / Data / Image Connectors → RJ45 Connector → RJ45 Connector - Flush Mounted → RJ45 Connector

