

## PRODUCT-DETAILS

# BN2218.5 BL

## BN2218.5 BL Telephone/data outlet 1G



### General Information

|                       |                                                                            |
|-----------------------|----------------------------------------------------------------------------|
| Extended Product Type | BN2218.5 BL                                                                |
| Product ID            | 2CLA221850N1166                                                            |
| EAN                   | 8427238079028                                                              |
| Catalog Description   | BN2218.5 BL Telephone/data outlet 1G                                       |
| Long Description      | 16 AX, 127 - 230 V~<br>Lit with LED ref. N2192.1 (127 V~) / N2192 (230 V~) |

### Technical

|                     |                          |
|---------------------|--------------------------|
| Product Name        | Telephone/data outlet 1G |
| Mounting Type       | Flush mounted (plaster)  |
| Type of Fastening   | Engage (Snap)            |
| Type of Indicator   | With indication plate    |
| Outlet Orientation  | Straight                 |
| Surface Finishing   | Untreated<br>Glossy      |
| Material            | Thermoplastic<br>Plastic |
| RAL Number          | RAL 9010 - Pure White    |
| Color               | White                    |
| Number of Batteries | 0                        |

### Environmental

|                         |                                                  |
|-------------------------|--------------------------------------------------|
| Ambient Air Temperature | Operation -5 ... +35 °C<br>Storage -5 ... +50 °C |
| Degree of Protection    | IP20                                             |

## Dimensions

|                    |          |
|--------------------|----------|
| Product Net Width  | 44 mm    |
| Product Net Height | 44 mm    |
| Product Net Weight | 0.037 kg |

## Container Information

|                                |               |
|--------------------------------|---------------|
| Package Level 1 Units          | box 3 piece   |
| Package Level 1 Width          | 0.128 m       |
| Package Level 1 Height         | 0.1 m         |
| Package Level 1 Depth / Length | 0.195 m       |
| Package Level 1 Gross Weight   | 0.111 kg      |
| Package Level 1 EAN            | 8427238079028 |

## Ordering

|                         |            |
|-------------------------|------------|
| Minimum Order Quantity  | 3 piece    |
| Customs Tariff Number   | 85365080   |
| Country of Origin       | Spain (ES) |
| Selling Unit of Measure | piece      |

## Certificates and Declarations (Document Number)

|                                |                       |
|--------------------------------|-----------------------|
| Declaration of Conformity - CE | No declaration needed |
| Instructions and Manuals       | 2CLX210109N1001       |

## Popular Downloads

|                                   |                 |
|-----------------------------------|-----------------|
| Data Sheet, Technical Information | 9AKK10103A5108  |
| Instructions and Manuals          | 2CLX210109N1001 |

## Classifications

|                |                                                            |
|----------------|------------------------------------------------------------|
| ETIM 6         | EC000018 - Insert/cover for communication technology       |
| ETIM 7         | EC000018 - Insert/cover for communication technology       |
| ETIM 8         | EC000018 - Insert/cover for communication technology       |
| WEEE Category  | 5. Small Equipment (No External Dimension More Than 50 cm) |
| WEEE B2C / B2B | Business To Consumer                                       |
| CN8            | 85365080                                                   |

---

## Categories

---

Low Voltage Products and Systems → Switch Assortments → Flush Mounted Modular Range - Niessen → Design Zenit → Flush Mounted Inserts with Cover Plate → RJ45 Connector

Low Voltage Products and Systems → Switch Assortments → VDI - Voice / Data / Image Connectors → RJ45 Connector → RJ45 Connector - Flush Mounted → RJ45 Connector

