


PRODUCT-DETAILS

2234.1 BM

2234.1 BM Thermomagnetic switch 6A 2M



General Information

Extended Product Type	2234.1 BM
Product ID	2CLA223410A1001
EAN	8427238044071
Catalog Description	2234.1 BM Thermomagnetic switch 6A 2M
Long Description	230 V ~ IΔn=10 mA Inominal=6 A. Thermomagnetic characteristics: Type C Differential characteristics: Type A

Technical

Product Name	Thermomagnetic switch 6A 2M
Rated Operational Voltage	Maximum 230 V
Number of Poles	1
Number of Switch Positions	2
Design	Built-in device
Actuator Type	Rocker
Switch Type	On / Off
Number of Batteries	0

Environmental

Ambient Air Temperature	Operation -5 ... +35 °C Storage -5 ... +50 °C
Degree of Protection	Front IP20

Dimensions

Width in Number of Modular Spacings	2
Product Net Width	44 mm
Product Net Height	44 mm
Product Net Weight	0.106 kg

Container Information

Package Level 1 Units	1 piece
Package Level 1 Width	0.076 m
Package Level 1 Height	0.064 m
Package Level 1 Depth / Length	0.076 m
Package Level 1 Gross Weight	0.106 kg
Package Level 1 EAN	8427238044071

Ordering

Minimum Order Quantity	1 piece
Customs Tariff Number	85363010
Country of Origin	Spain (ES)
Selling Unit of Measure	piece

Classifications


ETIM 6	EC002611 - Control switch
ETIM 7	EC002611 - Control switch
ETIM 8	EC002611 - Control switch
WEEE Category	5. Small Equipment (No External Dimension More Than 50 cm)
WEEE B2C / B2B	Business To Consumer
CN8	85363010

Categories

Low Voltage Products and Systems → Switch Assortments → Flush Mounted Modular Range - Niessen → Design Status → Flush Mounted Inserts with Cover Plate → Mechanical Special Switches

Low Voltage Products and Systems → Switch Assortments → Flush Mounted Modular Range - Niessen → Design Stylo → Flush Mounted Inserts with Cover Plate → Mechanical Special Switches

Low Voltage Products and Systems → Switch Assortments → Light / LoadControl → Mechanical Special Switches → Mechanical Special Switches - Flush Mounted → Mechanical Special Switches



Product image
not available

