

PRODUCT-DETAILS

2260.2 BM

2260.2 BM Rotary dimmer 2M



General Information

Extended Product Type	2260.2 BM
Product ID	2CLA226020A1001
EAN	8427238042671
Catalog Description	2260.2 BM Rotary dimmer 2M
Long Description	230 V~, 50Hz. 60 - 400W. Fuse protection T1,6H

Technical

Product Name	Rotary dimmer 2M
Rated Voltage (U _r)	230...230 V
Frequency (f)	50...50 Hz
Power Watt	60...400 V·A
Actuator Type	Turn button
Connection Type	Screw
Load Type	Resistive load
Mounting Type	Flush mounted (plaster)
Type of Fastening	Screw
Surface Finishing	Surface protection: Untreated Surface finishing: Glossy
Material	Material quality: Duroplast Material: Plastic
Color	Cream white (electro white)
Number of Batteries	0

Environmental

Ambient Air Temperature	Operation -5 ... +35 °C Storage -5 ... +50 °C
Degree of Protection	IP20

Dimensions

Product Net Width	44 mm
Product Net Height	44 mm
Product Net Weight	0.14 kg

Container Information

Package Level 1 Units	1 piece
Package Level 1 Width	0.076 m
Package Level 1 Height	0.064 m
Package Level 1 Depth / Length	0.076 m
Package Level 1 Gross Weight	0.14 kg
Package Level 1 EAN	8427238042671

Ordering

Minimum Order Quantity	1 piece
Customs Tariff Number	85365080
Country of Origin	Spain (ES)
Selling Unit of Measure	piece

Classifications

ETIM 6	EC000025 - Dimmer
ETIM 7	EC000025 - Dimmer
ETIM 8	EC000025 - Dimmer
WEEE Category	5. Small Equipment (No External Dimension More Than 50 cm)
WEEE B2C / B2B	Business To Consumer
CN8	85369099

Categories

Low Voltage Products and Systems → Switch Assortments → Flush Mounted Modular Range - Niessen → Design Status → Flush Mounted Inserts with Cover Plate → Dimmers

Low Voltage Products and Systems → Switch Assortments → Flush Mounted Modular Range - Niessen → Design Stylo → Flush Mounted Inserts with Cover Plate → Dimmers

Low Voltage Products and Systems → Switch Assortments → Light / LoadControl → Electronic Rotary / Push Button Dimmer (all Loads incl. LED, DALI) → Push Button Dimmer - Flush Mounted → Dimmers

