

PRODUCT-DETAILS

N2260.3 BL

N2260.3 BL LED rotatory/push dimmer - 2M - White



General Information

Extended Product Type	N2260.3 BL
Product ID	2CLA226030N1101
EAN	8427238138329
Catalog Description	N2260.3 BL LED rotatory/push dimmer - 2M - White
Long Description	Color: White. Rated voltage: 230 Vac $\pm$ 10% Frequency: 50 Hz (Nominal power: 250 W/VA) / 60 Hz (Nominal power: 200 W/VA) Power (min./max load): - LEDi: 2 / 100 W/VA (max. 10 lamps) - Dimmable energy saving lamps: 2 / 100 W/VA (max. 10 lamps) - LV LEDi with transformer (only type L or LC): 4 / 100 W/VA (max. 10 lamps) - Incandescent lamps: 10 / 250 W/VA - Halogen lamps: 10 / 250 W/VA - LV halogen with transformer (only type L or LC): 10 / 250 W/VA (max. 10 lamps) 2 wire connection Optional: auxiliary on/off with 2-way switch N2X02 Indicator LED lamp included Back-up fuse: Electronic Overload protection: Electronic Ambient temperature: 0°C to +35°C Size: 2 modules.

Technical

Product Name	LED rotatory/push dimmer - 2M - White
Rated Voltage (U _r)	230...230 V
Frequency (f)	50...60 Hz
Power Watt	10...250 V-A

Actuator Type	Turn button
Connection Type	Screw
Load Type	Universal and LED Retrofit
Mounting Type	Flush mounted (plaster)
Type of Fastening	Snapper Mounting
Surface Finishing	Surface protection: Untreated Surface finishing: Glossy
Material	Material quality: Thermoplastic Material: Plastic
RAL Number	RAL 9010 - Pure White
Color	White
Number of Batteries	0

Environmental

Ambient Air Temperature	Operation -5 ... +35 °C Storage -5 ... +50 °C
Degree of Protection	IP20

Dimensions

Product Net Width	44 mm
Product Net Height	44 mm
Product Net Weight	0.08 kg

Container Information

Package Level 1 Units	box 1 piece
Package Level 1 Width	0.076 m
Package Level 1 Height	0.064 m
Package Level 1 Depth / Length	0.076 m
Package Level 1 Gross Weight	0.08 kg
Package Level 1 EAN	8427238138329

Ordering

Minimum Order Quantity	1 piece
Customs Tariff Number	85365080
Country of Origin	Germany (DE)
Selling Unit of Measure	piece

Certificates and Declarations (Document Number)

Declaration of Conformity - CE	9AKK106930A5901
Instructions and Manuals	2CLX226039N1001

Popular Downloads

Data Sheet, Technical Information	9AKK10103A5108
Instructions and Manuals	2CLX226039N1001

Classifications

ETIM 6	EC000025 - Dimmer
ETIM 7	EC000025 - Dimmer
ETIM 8	EC000025 - Dimmer
WEEE Category	5. Small Equipment (No External Dimension More Than 50 cm)
WEEE B2C / B2B	Business To Consumer
CN8	85369099

Categories

Low Voltage Products and Systems → Switch Assortments → Flush Mounted Modular Range - Niessen → Design Zenit → Flush Mounted Inserts with Cover Plate → Dimmers

Low Voltage Products and Systems → Switch Assortments → Light / LoadControl → Electronic Rotary / Push Button Dimmer (all Loads incl. LED, DALI) → Push Button Dimmer - Flush Mounted → Dimmers

