

PRODUCT-DETAILS

2288 BM

2288 BM Socket Schuko 2M



General Information

Extended Product Type	2288 BM
Product ID	2CLA228800A1001
EAN	8427238004457
Catalog Description	2288 BM Socket Schuko 2M
Long Description	16 A / 250 V~. With a safety system to avoid direct accidental contact. Protection level: IP21

Technical

Product Name	Socket Schuko 2M
Rated Voltage (U_r)	250 V
Rated Current (I_n)	16 A
Frequency (f)	50...60 Hz
Number of Phases	2
Number of Active Pin Terminals	0
Number of Gangs	1
Connection Type	Screw
Mounting Type	Flush mounted (plaster)
Socket Outlet Type	Protective Contact (SCHUKO)
Type of Fastening	Snapper Mounting
Surface Finishing	Untreated Glossy
Material	Duroplast

	Plastic
Legend	Without imprint
Model Number	Protective contact (SCHUKO)
Color	Cream white (electro white)
Number of Batteries	0

Environmental

Ambient Air Temperature	Operation -5 ... +35 °C Storage -5 ... +50 °C
Degree of Protection	IP21

Dimensions

Product Net Width	44 mm
Product Net Height	44 mm
Product Net Weight	0.048 kg

Container Information

Package Level 1 Units	10 piece
Package Level 1 Width	0.124 m
Package Level 1 Height	0.047 m
Package Level 1 Depth / Length	0.299 m
Package Level 1 Gross Weight	0.48 kg
Package Level 1 EAN	8427238004457

Ordering

Minimum Order Quantity	10 piece
Customs Tariff Number	85366990
Country of Origin	Spain (ES)
Selling Unit of Measure	piece

Classifications

ETIM 6	EC000125 - Socket outlet
ETIM 7	EC000125 - Socket outlet
ETIM 8	EC000125 - Socket outlet
WEEE Category	5. Small Equipment (No External Dimension More Than 50 cm)
WEEE B2C / B2B	Business To Consumer
CN8	85366990

Categories

Low Voltage Products and Systems → Switch Assortments → Flush Mounted Modular Range - Niessen → Design Status → Flush Mounted Inserts with Cover Plate → Single Socket Outlets

Low Voltage Products and Systems → Switch Assortments → Flush Mounted Modular Range - Niessen → Design Stylo → Flush Mounted Inserts with Cover Plate → Single Socket Outlets

Low Voltage Products and Systems → Switch Assortments → Socket Outlets → Single Socket Outlets → Single Socket Outlets - Flush Mounted → Single Socket Outlets

